CUK audio

UK Integrator Price List

January 2015

Contacts

Head Office: CUK Audio
Norwood Court
Ibrox Business Park
Glasgow
G51 2JR

Tel: 0141 440 5333
Fax: 0141 440 1119
e-mail: sales@cuk-audio.com

Office Hours

9.00am - 5.30pm Monday to Friday

Key Contacts

Rich Soper
Brand Manager - Live Sound
m: 07540 100101
e: rich@cuk-audio.com

Carl Tomkins
Sales Manager
m: 07525 668447 / 07543 784321
e: carl@cuk-audio.com

Julie Johnstone
Accounts
e: julie@cuk-audio.com

Stuart Thomson
Managing Director
m: 07766 824866
e: sthomson@cuk-audio.com

Stuart Cunningham
General Manager
m: 07941 507534
e: stuart@cuk-audio.com

About CUK Audio

When CUK Audio was founded in 2005, we only represented a single brand - Community; things have changed a lot since then!

Over the past nine or so years, we have worked hard to build a portfolio of interesting and innovative brands that would allow us to provide our customers with the complete audio solution. With fifteen brands now featured in this price list, we feel we are very close to meeting this goal.

Its not just about the products for us, however. The complete audio solution also means we have to offer our customers support, advice and other services to ensure their projects are successful. The following page will give you a flavour of what we can do to assist you and your business.

No matter which market sector your company serves: corporate AV, sports stadia, PA/VA, night venues, conferencing or live sound; CUK Audio has the products, expertise and experience that can help you achieve success.

Stuart Thomson
Managing Director

Let us help you!

The products are only the start of what CUK Audio can offer you. To support our customers we can assist with the following:

Audio System Design

Product Demonstrations

Training

Commissioning Assistance

Loudspeaker System Modelling

Rack Builds

Product Customisation

DSP Programming

User Interface Design









CUK audio

T: 0141 440 5333
F: 0141 440 1119
E: sales@cuk-audio.com

www.cuk-audio.com

Dante™ Interfaces

	Product Code	Description	UK List (Ex VAT)
unD32	**unD32**	The unD32 32 Channel Dante Break Out Interface (BoB) is a 32 Channel, 1RU Dante break out interface for all types of commercial AV installations. Each of the 32 balanced analog outputs on the unD32 may be assigned to any Dante flow in the system, either by means of the front panel controls or using Audinate's Dante Controller. The unD32 features both primary and secondary Gigabit Dante network connections for full redundancy, as well as a third "local" Gigabit port. This port gives network access to other equipment in the rack (e.g. amplifier controllers, control devices, etc.) without the need for a separate Ethernet switch. A 16x2 display shows flow names and signal levels for each of the 32 analog output channels. In addition, each output level is individually controllable over a 60dB range plus mute.	£2,699.00
unDIO2x2	**unDIO2x2**	The unDIO2x2 2 In/2 Out I/O Interface is a convenient, cost-effective way to add up to two channels (in and out) of Dante audio to an existing Dante-based networked audio system. 3-Pin depluggable balanced audio inputs and outputs, switchable mic/line gain and switchable phantom power on the inputs. Audio flow assignment, input gain and phantom power are all controllable via the Dante network connection.	£749.00
unDX2IO	**unDX2IO**	The unDX2IO 2 In/2 Out I/O Interface is a convenient, cost-effective way to add up to two channels (in and out) of Dante audio to an existing Dante-based networked audio system. XLR balanced audio inputs and outputs, switchable mic/line gain and switchable phantom power on the inputs. Audio flow assignment, input gain and phantom power are all controllable via the Dante network connection.	£769.00
unD3IO	**unD3IO**	The unD3IO 2 In/2 Out I/O Interface is a convenient, cost-effective way to add up to two channels (in and out) of Dante audio to an existing Dante-based networked audio system. XLR input with switchable mic/line gain and switchable phantom power on the inputs. Choice of unbalanced input (RCA or 3.5mm stereo jack) selectable by software. Balanced XLR output (channels 1 only) and unbalanced 3.5mm stereo jack (channels 1 & 2). Audio flow assignment, input gain, phantom power and unbalanced input selection are all controllable via the Dante network connection.	£769.00

CUK Audio also sells the full range of CobraNet™ enabled products from Atterotech. Please contact the CUK Audio sales office on (0141) 440 5333 or sales @cuk-audo.com for more information.

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Community™

C4 LP

C6

C6 - B

C8

C-Series Ceiling Speakers

Product Code	Description	UK List (Ex VAT)
C4 LP	2-way, full-range, coaxial ceiling loudspeaker, low profile - only 93mm deep, LF 1 x 4.5", HF 1 x 0.75", 130º conical, 91 dB SPL, 60W RMS, 8 Ohm or 70V/100V.	£109.00
C6	2-way, full-range, coaxial ceiling loudspeaker, LF 1 x 6.5", HF 1 x 0.75", 120º conical, 91 dB SPL, 60W RMS, 8 Ohm or 70V/100V.	£139.00
C6 - B	2-way, full-range, coaxial ceiling loudspeaker, LF 1 x 6.5", HF 1 x 0.75", 120º conical, 91 dB SPL, 60W RMS, 8 Ohm or 70V/100V. Black.	£139.00
C8	2-way, full-range, coaxial ceiling loudspeaker, LF 1 x 8", HF 1 x 0.75", 120º conical, 91 dB SPL, 60W RMS, 8 Ohm or 70V/100V.	£169.00

CS Surface Mount

CS4

CS6

CS8

Product Code	Description	UK List (Ex VAT)
CS4	Two-way, 100 Hz - 13.5 kHz, 140° conical dispersion, LF 1 x 4.5", HF 1 x 3/4", 90dB sensitivity, 60W RMS, 150W PGM, 8 Ohm, with built-in 30W 70/100V line transformer, available in black or white, yoke wall mounting bracket included.	£139.00
CS6	Two-way, 90 Hz - 13.5 kHz, 120° conical dispersion, LF 1 x 6.5", HF 1 x 3/4", 90 dB sensitivity, 60W RMS, 150W PGM, 8 Ohm, with built-in 30W 70/100V line transformer, available in black or white, yoke wall mounting bracket included.	£169.00
CS8	Two-way, 70 Hz - 13.5 kHz, 110° conical dispersion, LF 1 x 8", HF 1 x 3/4", 90 dB sensitivity, 60W RMS, 150W PGM, 8 Ohm, with built-in 30W 70/100V line transformer, available in black or white, yoke wall mounting bracket included.	£229.00

CP Pendant Mount

Product Code	Description	UK List (Ex VAT)
CP6	Two-way, 70 Hz - 14 kHz, 120° conical dispersion, LF 1 x 6.5", HF 1 x 0.75", 91dB sensitivity, 60W RMS, 150W PGM, 8 Ohm, with built-in 30W 70/100V line transformer, available in black or white, hanging hardware included (excluding ceiling plate).	£259.00

D4 LP

D4

D5

D6

D8

D10

D10 SUB

D-Series Ceiling Speakers

Product Code	Description	UK List (Ex VAT)
D4 LP	2-way, full-range, coaxial ceiling loudspeaker, low profile - only 93mm deep, LF 1 x 4.5", HF 1 x 0.9", 90º conical, 91 dB SPL, 60W RMS, 8 Ohm or 70V/100V.	£149.00
D4	2-way, full-range, coaxial ceiling loudspeaker, LF 1 x 4.5", HF 1 x 0.9", 90º conical, 91 dB SPL, 60W RMS, 8 Ohm or 70V/100V.	£149.00
D5	2-way, full-range, coaxial ceiling loudspeaker, LF 1 x 5", HF 1 x 0.95", 90º conical, 94 dB SPL, 100W RMS, 8 Ohm or 70V/100V.	£179.00
D6	2-way, full-range, coaxial ceiling loudspeaker, LF 1 x 6.5", HF 1 x 0.95", 90º conical, 95 dB SPL, 100W RMS, 8 Ohm or 70V/100V.	£199.00
D8	2-way, full-range, coaxial ceiling loudspeaker, LF 1 x 8", HF 1 x 1.1", 90º conical, 99 dB SPL, 150W RMS, 8 Ohm or 70V/100V.	£289.00
D10	2-way, full-range, coaxial ceiling loudspeaker, LF 1 x 10", HF 1 x 1.1", 90º conical, 99 dB SPL, 200W RMS, 8 Ohm or 70V/100V.	£389.00
D10 SUB	Ceiling mount subwoofer, LF 1 x 10", 180º conical, 85 dB SPL, 200W RMS, 8 Ohm or 70V/100V.	£349.00

DS Surface Mount

DS5

Product Code	Description	UK List (Ex VAT)
DS5	Two-way, 70 Hz - 22 kHz, 130° conical dispersion, LF 1 x 5", HF 1 x 3/4", 93dB sensitivity, 100W RMS, 250W PGM, 8 Ohm, with built-in 60W 70/100V line transformer, available in black or white, wall mounting bracket included.	£159.00
DS8	Two-way, 65 Hz - 22 kHz, 115° conical dispersion, LF 1 x 8", HF 1 x 1", 96 dB sensitivity, 150W RMS, 375W PGM, 8 Ohm, with built-in 120W 70/100V line transformer, available in black or white, wall mounting bracket included.	£269.00
DS8SUB	Compact, surface mount subwoofer, 60Hz-160Hz , 180°H x 360°V, LF 1 x 8", 88dB sensitivity, 200W RMS, 500W PGM, 8 Ohm, with built-in 200W 70/100V line transformer, available in black or white, wall mounting bracket included.	£349.00

DS Pendant Mount

DP6

Product Code	Description	UK List (Ex VAT)
DP6	Two-way, 80 Hz - 20 kHz, 125° conical dispersion, LF 1 x 6", HF 1 x 1", 94dB sens, 100W RMS, 250W PGM, 8 Ohm, built-in 60W 70/100V line trans, available in black or white.	£299.00
DP8	Two-way, 60 Hz - 20 kHz, 100° conical dispersion, LF 1 x 8", HF 1 x 1", 95dB sens, 150W RMS, 375W PGM, 8 Ohm, built-in 120W 70/100V line trans, available in black or white.	£409.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Community™

VERIS 6

VERIS 8

VERIS 26

VERIS 28

VERIS 12

VERIS 32

VERIS 2 - Full Range

Product Code	Description	UK List (Ex VAT)
V2-6	Two-way, 100 Hz - 18 kHz, 90º x 70º, LF 1 x 6", HF 1 x ¾", 100W RMS, 250W PGM, 90dB Sensitivity, 8 Ohms, available in black or white, yoke bracket included.	£369.00
V2-6T	Same as Veris 6 with a 200W autoformer for 100V line operation, with switchable taps @ 100W, 50W, 25W.	£409.00
V2-8	Two-way, 90 Hz - 18 kHz, 90º x 70º, LF 1 x 8", HF 1 x ¾", 150W RMS, 375W PGM, 91dB Sensitivity, 8 Ohms, available in black or white, yoke bracket included.	£409.00
V2-8T	Same as Veris 8 with a 200W autoformer for 100V line operation, with switchable taps @ 100W, 50W, 25W.	£449.00
V2-26	Two-way, 70 Hz - 18 kHz, 90º x 70º, LF 2 x 6", HF 1 x ¾", 200W RMS, 500W PGM, 92dB Sensitivity, 4 Ohms, available in black or white, yoke bracket included.	£489.00
V2-26T	Same as Veris 26 with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£529.00
V2-28	Two-way, 70 Hz - 18 kHz, 90º x 70º, LF 2 x 8", HF 1 x ¾", 300W RMS, 750W PGM, 93dB Sensitivity, 4 Ohms, available in black or white, yoke bracket included.	£549.00
V2-28T	Same as Veris 28 with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£589.00
V2-1264	Two-way, 60 Hz - 18 kHz, 60º x 40º, LF 1 x 12", HF 1 x 1", 200W RMS, 500W PGM, 99dB Sensitivity, 8 Ohms, available in black or white, bracket options available.	£649.00
V2-1296	Two-way, 60 Hz - 18 kHz, 90º x 60º, LF 1 x 12", HF 1 x 1", 200W RMS, 500W PGM, 99dB Sensitivity, 8 Ohms, available in black or white, bracket options available.	£649.00
V2-1564	Two-way, 60 Hz - 18 kHz, 60º x 40º, LF 1 x 15", HF 1 x 1", 200W RMS, 500W PGM, 100dB Sensitivity, 8 Ohms, available in black or white, bracket options available.	£749.00
V2-1596	Two-way, 60 Hz - 18 kHz, 90º x 60º, LF 1 x 15", HF 1 x 1", 200W RMS, 500W PGM, 99dB Sensitivity, 8 Ohms, available in black or white, bracket options available.	£749.00
V2-3264	Three-way, 60 Hz - 18 kHz, 60º x 40º, LF 1 x 12", MF 1 x 6.5", HF 1 x 1", 200W RMS, 500W PGM, 100dB Sensitivity, 8 Ohms, available in black or white, bracket options available.	£799.00
V2-3294	Three-way, 60 Hz - 18 kHz, 90º x 40º, LF 1 x 12", MF 1 x 6.5", HF 1 x 1", 200W RMS, 500W PGM, 98dB Sensitivity, 8 Ohms, available in black or white, bracket options available.	£799.00
V2-3564	Three-way, 55 Hz - 18 kHz, 60º x 40º, LF 1 x 15", MF 1 x 6.5", HF 1 x 1", 200W RMS, 500W PGM, 101dB Sensitivity, 8 Ohms, available in black or white, bracket options available.	£899.00
V2-3594	Three-way, 55 Hz - 18 kHz, 90º x 40º, LF 1 x 15", MF 1 x 6.5", HF 1 x 1", 200W RMS, 500W PGM, 99dB Sensitivity, 8 Ohms, available in black or white, bracket options available.	£899.00

VERIS 2 - Bass

V2-210S

V2-212S

V2-215S

Product Code	Description	UK List (Ex VAT)
V2-210S	Subwoofer, 40Hz - 500Hz, 2 x 10" LF, 300W RMS, 750W PGM, 93 db Sensitivity, 4 Ohm, available in black or white.	£629.00
V2-212S	Subwoofer, 37Hz - 500Hz, 2 x 12" LF, 300W RMS, 750W PGM, 95 db Sensitivity, 4 Ohm, available in black or white.	£749.00
V2-215S	Subwoofer, 30Hz - 2000Hz, 2 x 15" LF, 400W RMS, 1000W PGM, 97 db Sensitivity, 4 Ohms, available in black ONLY.	£999.00

N.B. Additional bass options are available in the VLF product line

VERIS 2 - Mounting Accessories

Product Code	Description	UK List (Ex VAT)
WMB01	Rear mounting wall bracket with pan and tilt for use with Veris 6, 8, 26, and 28, available in black or white.	£69.00
WMB03	Rear mounting wall bracket with pan and tilt for use with Veris 12, 15, 32, and 35, available in black or white.	£79.00
VB-Y12	"U" Type mounting yoke bracket for V2-12, black or white.	£139.00
VB-Y15	"U" Type mounting yoke bracket for V2-15, black or white.	£149.00
VB-Y32	"U" Type mounting yoke bracket for V2-32, black or white.	£159.00
VB-Y35	"U" Type mounting yoke bracket for V2-35, black or white.	£169.00
VB-VY6	Vertical mounting yoke for V2-6, black or white.	£149.00
VB-VY8	Vertical mounting yoke for V2-8, black or white.	£159.00
VB-VY26	Vertical mounting yoke for V2-26, black or white.	£169.00
VB-VY28	Vertical mounting yoke for V2-28, black or white.	£179.00
VB-VY12	Vertical mounting yoke for V2-12, black or white.	£299.00
VB-VY15	Vertical mounting yoke for V2-15, black or white.	£319.00
VB-VY32	Vertical mounting yoke for V2-32, black or white.	£329.00
VB-VY35	Vertical mounting yoke for V2-35, black or white.	£339.00
EBSM6	M6 Eyebolt Kit - set of 3.	£39.00
EBSM10	M10 Eyebolt Kit - set of 3.	£39.00
VB-VST	Complete ceiling mount solution with pan and tilt adjustment (portrait orientation) for use with Veris 12, 15, 32, and 35. Can also be used in conjunction with a pipe clamp (not supplied) for truss mounting.	£109.00
VB-VFK	Vertical flying flying kit - for hanging two enclosures in portrait orientation. Suitable for Veris 12, 15, 32, and 35.	£89.00
VB-HSS	Rear mount handle / stand adaptor for Veris 6, 8, 26, and 28.	£35.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Community™

MX 8

MX 10

MX-Series - Coaxial Stage Monitors

Product Code	Description	UK List (Ex VAT)
MX8	Compact coaxial stage monitor, 1 x 8" LF, 1 x 1" HF, 115° conical dispersion, 80Hz - 18kHz, 150W RMS, 375W PGM, 96 dB Sensitivity, 8 Ohm, available in black or white.	£469.00
MX10	Compact coaxial stage monitor, 1 x 10" LF, 1 x 1.25" HF, 100° conical dispersion, 70Hz - 18kHz, 200W RMS, 500W PGM, 99 dB Sensitivity, 8 Ohm, available in black or white.	£549.00
MX-Y8	Yoke style bracket for wall or ceiling mounting of MX 8	£49.00
MX-Y10	Yoke style bracket for wall or ceiling mounting of MX 10	£59.00

VLF208

VLF208LVS

VLF212I

VLF218

VLF

Product Code	Description	UK List (Ex VAT)
VLF208	Band Pass Micro Subwoofer, 60Hz - 160Hz, 2 x 8" LF, 300W RMS, 750W PGM, 96 dB Sensitivity, 4 Ohm, black or white.	£539.00
VLF208LVS	Direct Radiating Subwoofer, 40Hz - 200Hz, 2 x 8" LF, 400W RMS, 1000W PGM, 93 dB Sensitivity, 4 Ohm, black or white.	£629.00
VLF212I	Band Pass Subwoofer, 45Hz - 160Hz, 2 x 12" LF, 300W RMS, 750W PGM, 94 dB Sensitivity, 4 Ohm, black or white.	£699.00
VLF212P	Band Pass Portable Subwoofer, 45Hz - 160Hz, 2 x 12" LF, 300W RMS, 750W PGM, 94 dB Sensitivity, 4 Ohm, black only.	£769.00
VLF115	Direct Radiating Subwoofer, 40Hz - 200Hz, 1 x 15" LF, 600W RMS, 1500W PGM, 98 dB Sensitivity, 8 Ohm, black or white.	£1,499.00
VLF118	Direct Radiating Subwoofer, 40Hz - 200Hz, 1 x 18" LF, 800W RMS, 2000W PGM, 98 dB Sensitivity, 8 Ohm, black or white.	£1,699.00
VLF218	Balanced Cone Loading (BCL) Subwoofer, 25Hz - 250Hz, 2 x 18" LF, 1,600W RMS, 4,000W PGM, 106dB Sensitivity, 4 Ohm, available in black only.	£2,899.00

VLF - Accessories

Product Code	Description	UK List (Ex VAT)
VLF-SAB	VLF Steered Array Bracket, to support cardioid bass arrays, steered bass arrays, or vertical bass columns of VLF212 and VLF208 subwoofers, or combinations of both, available in black or white.	£119.00
VLF-Y208	VLF208 Yoke Bracket, for ceiling / wall mounting a VLF208 subwoofer.	£59.00

Entasys 200

ENTASYS 200 Range

Product Code	Description	UK List (Ex VAT)
ENTASYS 203	Compact column, LF 3 x 80mm, HF 1 x 3-element CRE, 150 Hz - 20 kHz, 140° H x 40° V, 190W PGM, 16 ohms, 30W, 15W, 7.5W, 3.75W on 100V. Available in black or white, mouting bracket included.	£329.00
ENTASYS 206	Compact column, LF 6 x 80mm, HF 2 x 3-element CRE, 120 Hz - 20 kHz, 140° H x 20° V, 375W PGM, 8 ohms, 60W, 30W, 15W, 7.5W on 100V. Available in black or white, mouting bracket included.	£479.00
ENTASYS 212	Compact column, LF 12 x 80mm, HF 4 x 3-element CRE, 100 Hz - 20 kHz, 140° H x 15° V, 800W PGM, 8 ohms, 120W, 60W, 30W, 15W on 100V. Available in black or white, mouting bracket included.	£769.00
ENTASYS 220	Compact column, LF 20 x 80mm, HF 4 x 3-element CRE, 80 Hz - 20 kHz, 140° H x 15° V, 1250W PGM, 8 ohms, 120W, 60W, 30W, 15W on 100V. Available in black or white, mouting bracket included.	£1,199.00

Entasys 200 - Accessories

Product Code	Description	UK List (Ex VAT)
E200-SAK	ENTASYS 200 Stand Adapter Kit Attaches to the rear of an ENTASYS 200 enclosure to create both a carrying handle and a stand mount fitting which accepts 1-3/8" diameter loudspeaker support stands. Black or White finish.	£59.00
E200-UMK	ENTASYS 200 Universal Mounting Kit Optional mounting bracket designed to flush mount a single ENTASYS 200 enclosure tightly against a wall or ceiling, or to accommodate third-party 30 lb or 60 lb working load mounting brackets. Use with ENT203, ENT206, ENT212 or ENT220. Black or White finish, dual layer powder coated.	£49.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Community™

ENTASYS FR

Entasys

Product Code	Description	UK List (Ex VAT)
ENTASYS FR	ENTASYS Full-Range Column, LF 6 x 3.5", MF 18 x 2.35", HF 42 x 1", 200 Hz - 20 kHz, 120° H x 10° V, 1500W PGM, 12 ohms, Available in black or white, Straight "flush" mounting bracket included.	£1,899.00
ENTASYS LF	ENTASYS Low Frequency Column, LF 6 x 3.5", 200 Hz - 1 kHz, 1500W PGM, 12 ohms, Available in black or white, Straight "flush" mounting wall-hugger bracket included.	£1,299.00

Entasys - Accessories

Product Code	Description	UK List (Ex VAT)
ENT-PB	ENTASYS "Pan Bracket" Kit. Allows a single column (or assemblies consisting of up to five columns) to pan up to 160°. When installing loudspeaker assemblies with two or more columns, a coupler bracket (part no. ENT-CB1) must be used to join multiple columns together. Available in black or white.	£79.00
ENT-PT	ENTASYS "Pan-Tilt" Bracket Kit. Allows a single column (or assemblies consisting of up to five columns) to pan up to 160°, and to be tilted downwards. When installing loudspeaker assemblies with two or more columns, a coupler bracket (part no. ENT-CB1) must be used to join multiple columns together. Available in black or white.	£219.00
ENT-FK	ENTASYS "Fly Kit" Bracket. Allows a single column (or assemblies consisting of up to five columns) to be flown from the ceiling in an open space. Accommodates 0 - 180 degrees of downward tilt. When installing loudspeaker assemblies with two or more columns, a coupler bracket (part no. ENT-CB1) must be used to join multiple columns together. Available in black or white.	£129.00
ENT-CB1	ENTASYS "Coupler Bracket". Used to join multiple ENTASYS columns together to form an array. When two columns are joined, use one coupler bracket; when three columns are joined, use two coupler brackets, when four columns are joined, use three coupler brackets, etc.	£89.00
ENT-750T	750W, 70/100V autoformer for ENTASYS systems. Transformer mounting bracket included. Available in black or white.	£289.00

iBOX - iHP1200

iHP1200

Product Code	Description	UK List (Ex VAT)
iHP1244	Two-way, 60 Hz - 18 kHz, 40° H x 40° V, LF 1 x 12", HF 1 x 1.4", 600W RMS, 1500W PGM, 100 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,749.00
iHP1264	Two-way, 60 Hz - 18 kHz, 60° H x 40° V, LF 1 x 12", HF 1 x 1.4", 600W RMS, 1500W PGM, 99 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,749.00
iHP1266	Two-way, 60 Hz - 18 kHz, 60° H x 60° V, LF 1 x 12", HF 1 x 1.4", 600W RMS, 1500W PGM, 99 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,749.00
iHP1294	Two-way, 60 Hz - 18 kHz, 90° H x 40° V, LF 1 x 12", HF 1 x 1.4", 600W RMS, 1500W PGM, 99 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,749.00
iHP1296	Two-way, 60 Hz - 18 kHz, 90° H x 60° V, LF 1 x 12", HF 1 x 1.4", 600W RMS, 1500W PGM, 98 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,749.00
iHP1299	Two-way, 60 Hz - 18 kHz, 90° H x 90° V, LF 1 x 12", HF 1 x 1.4", 600W RMS, 1500W PGM, 98 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,749.00
iHP1226	Two-way, 60 Hz - 18 kHz, 120° H x 60° V, LF 1 x 12", HF 1 x 1.4", 600W RMS, 1500W PGM, 102 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,749.00

iBOX - iHP1500

iHP1500

Product Code	Description	UK List (Ex VAT)
iHP1544	Two-way, 60 Hz - 18 kHz, 40° H x 40° V, LF 1 x 15", HF 1 x 1.4", 600W RMS, 1500W PGM, 101 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,949.00
iHP1564	Two-way, 60 Hz - 18 kHz, 60° H x 40° V, LF 1 x 15", HF 1 x 1.4", 600W RMS, 1500W PGM, 100 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,949.00
iHP1566	Two-way, 60 Hz - 18 kHz, 60° H x 60° V, LF 1 x 15", HF 1 x 1.4", 600W RMS, 1500W PGM, 100 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,949.00
iHP1594	Two-way, 60 Hz - 18 kHz, 90° H x 40° V, LF 1 x 15", HF 1 x 1.4", 600W RMS, 1500W PGM, 99 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,949.00
iHP1596	Two-way, 60 Hz - 18 kHz, 90° H x 60° V, LF 1 x 15", HF 1 x 1.4", 600W RMS, 1500W PGM, 100 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,949.00
iHP1599	Two-way, 60 Hz - 18 kHz, 90° H x 90° V, LF 1 x 15", HF 1 x 1.4", 600W RMS, 1500W PGM, 101 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,949.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

iHP1526	Two-way, 60 Hz - 18 kHz, 120° H x 60° V, LF 1 x 15", HF 1 x 1.4", 600W RMS, 1500W PGM, 101 dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£1,949.00

iBOX - iHP3500

iHP3500

Product Code	Description	UK List (Ex VAT)
iHP3594	Three-way, 80 Hz - 16 kHz, 90° H x 40° V, LF 1 x 15", MF 1 x 8", HF 1 x 1.4", 600W RMS, 1500W PGM, 98dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£2,499.00
iHP3564	Three-way, 80 Hz - 16 kHz, 60° H x 40° V, LF 1 x 15", MF 1 x 8", HF 1 x 1.4", 600W RMS, 1500W PGM, 99dB Sensitivity, 8 Ohms (passive mode), available in black or white.	£2,499.00

iBOX - Fill

i2W8

Product Code	Description	UK List (Ex VAT)
i2W8	Two-way, 65 Hz - 16 kHz, 120° H x 60° V, LF 2 x 8" carbon fiber, HF 1 x 1" compression driver, 250W RMS, 600W PGM, 97 dB Sensitivity, 8 Ohms, Rubber feet included for use as a stage monitor, yoke bracket included, available in black or white.	£1,399.00

iBOX -Subwoofers

i215LVS
i118S

Product Code	Description	UK List (Ex VAT)
i112S	High Power Direct Radiating Subwoofer, 1 x 12", 30 Hz - 100 Hz, 600W RMS, 1500W PGM, 92 dB Sensitivity, 8 Ohms, available in black or white.	£1,399.00
i212S	High Power Direct Radiating Subwoofer, 2 x 12", 35 Hz - 100 Hz, 1200W RMS, 3000W PGM, 92 dB Sensitivity, 4 Ohms, available in black or white.	£1,749.00
i115S	High Power Direct Radiating Subwoofer, 1 x 15", 30 Hz - 100 Hz, 600W RMS, 1500W PGM, 97 dB Sensitivity, 8 Ohms, available in black or white.	£1,499.00
i215S	High Power Direct Radiating Subwoofer, 2 x 15", 30 Hz - 100 Hz, 1200W RMS, 3000W PGM, 100 dB Sensitivity, 4 Ohms, available in black or white.	£1,799.00
i118S	High Power Direct Radiating Subwoofer, 1 x 18", 40 Hz - 100 Hz, 600W RMS, 1500W PGM, 97 dB Sensitivity, 8 Ohms, available in black or white.	£1,499.00
i215LVS	High Power Direct Radiating Subwoofer, 2 x 15", 48 Hz - 100 Hz, 1200W RMS, 3000W PGM, 99 dB Sensitivity, 4 Ohms, available in black or white.	£1,899.00
iLF218	Low Frequency Subwoofer, 30Hz - 125Hz, 2 x 18" LF, 800W RMS, 2000W PGM, 99 dB Sensitivity, 4 Ohms, available in black or white.	£2,799.00

iBOX - Accessories

iB-Y12

iB-VY12

iB-VTK

iB-TPK

iB-UPK


iB-HFK

iB-VFK

Product Code	Description	UK List (Ex VAT)
WMB02	Rear mounting wall bracket with pan and tilt for use with iHP1200, iHP1500, iHP3500, available in black or white.	£75.00
iB-Y12	"U" type mounting yoke for the iHP1200 series, available in black or white.	£189.00
iB-Y15	"U" type mounting yoke for the iHP1500 series, available in black or white.	£199.00
iB-Y35	"U" type mounting yoke for the iHP3500 series, available in black or white.	£209.00
iB-VY12	Vertical mounting yoke for the iHP1200 series, available in black or white.	£299.00
iB-VY15	Vertical mounting yoke for the iHP1500 series, available in black or white.	£309.00
iB-VY35	Vertical mounting yoke for the iHP3500 series, available in black or white.	£319.00
iB-VTK	Vari-tilt mounting kit for vertically flying two enclosures two-high at different horizontal and/or vertical aiming angles, with up to a 60° splay between cabinets, available in black or white. Note: Standard "U-type" mounting yoke brackets must be purchased separately for each loudspeaker.	£439.00
iB-TPK	Tight pack mounting kit for tight packing two same-size enclosures into a cluster, available in black or white. To tight pack three same-size enclosures, use two IB-TPK's. Note: Up to a 10° splay between cabinets is possible using the IB-TPK.	£139.00
iB-UPK	Planar mounting kit for creating clusters of three same-size enclosures with up to a 45° splay between cabinets or clusters of three different-size enclosures in "small-large-small" configuration with up to a 15° splay between cabinets, available in black or white.	£549.00
iB-VAK	Vari-angle hanging kit for vertically flying single enclosures. Use with iHP3500, iHP1500 and iHP1200 Series loudspeakers. Note: The hang tab channel mounts directly onto the top of the enclosure. However, it can be used in conjunction with a standard "U-type" mounting yoke bracket. (IB-Y35, IB-Y15 or IB-Y12). Available in black or white.	£189.00
iB-HFK	Horizontal flying kit for horizontally array hanging two same-size enclosures with up to a 45° splay between cabinets. To horizontally array three same-size enclosures, use two IB-HFK's etc. Must be used with with same-size enclosures. Available in black or white.	£459.00
iB-VFK	Vertical flying kit for vertically array hanging two same-size enclosures with up to a 45° splay between cabinets. To vertically array three same-size enclosures, use two IB-VFK's. Available in black or white.	£279.00
EBSM10	M10 Eyebolt Kit - set of 3.	£39.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

R Series - R.15 COAX

R.15 Coax

Product Code	Description	UK List (Ex VAT)
R.15 COAX	Direct Radiating Coaxial, Two-way, full-range, 90 Hz - 16 kHz, 100°H x 100°V, LF 1 x 6.5", HF 1 x 1.25" compression driver, 150W RMS, 300W PGM, 94dB Sensitivity, 8 Ohm or 100V operation, available with a light grey, white, or black enclosure, grille and bracket.	£359.00
R-VTY15	R Series Vari-Tilt yoke for R.15 COAX, available in light grey, white, or black.	£89.00

R Series - R.35 COAX

R.35 Coax

Product Code	Description	UK List (Ex VAT)
R.35 COAX	Direct Radiating Coaxial, Two-way, full-range, 70 Hz - 16 kHz, 90°H x 90°V, LF 1 x 10", HF 1 x 1.25" compression driver, 200W RMS, 800W PGM, 99dB Sensitivity, 8 Ohm or 100V operation, available with a light grey, or white, or black enclosure, grille and bracket.	£509.00
R-VTY 35	R Series Vari-Tilt yoke for R.35 COAX, available in light grey, white, or black.	£119.00

R Series - R.5 COAX

R.5

Product Code	Description	UK List (Ex VAT)
R.5-COAX66	Direct Radiating Coaxial, Two-way, full-range, 80 Hz - 18 kHz, 60°H x 60°V, LF 1 x 12", HF 1 x 1" compression driver, 200W RMS, 500W PGM, 98dB Sensitivity, 8 Ohms, available with a light grey, or white, or black enclosure, grille and bracket.	£899.00
R.5-COAX66T	Same as R.5-COAX66 with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£949.00
R.5-COAX99	Direct Radiating Coaxial, Two-way, full-range, 80 Hz - 18 kHz, 90°H x 90°V, LF 1 x 12", HF 1 x 1" compression driver, 200W RMS, 500W PGM, 96dB Sensitivity, 8 Ohms, available with a light grey, or white, or black enclosure, grille and bracket.	£899.00
R.5-COAX99T	Same as R.5-COAX99 with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£949.00

R Series - R.25

R.25

Product Code	Description	UK List (Ex VAT)
R.25-94Z	Weather Resistant Two-way, horn loaded system, 100 Hz - 16 kHz, LF 1 x 8", HF 1 x ¾" compression driver, 90°H x 40°V, 200W RMS, 500W PGM, 97dB Sensitivity, 8 Ohms, available with a light grey, or white, or black enclosure, grille and bracket.	£479.00
R.25-94TZ	Same as R.25-94Z with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£529.00

R Series - R.35-3896

R.35-3896

Product Code	Description	UK List (Ex VAT)
R.35-3896	Weather Resistant Three-way, horn loaded system, 80 Hz - 16 kHz, LF 1 x 8", 2 x 2.35" MF, HF 1 x 1" compression driver, 90°H x 60°V, 400W RMS, 800W PGM, 99dB Sensitivity, 8 Ohm or 100V operation, available with a light grey, white, or black enclosure, grille and bracket.	£649.00
R-VTY 35	R Series Vari-Tilt yoke for R.35 COAX, available in light grey, white, or lack.	£119.00

R Series - R.5

R.5

Product Code	Description	UK List (Ex VAT)
R.5-66Z	Weather Resistant Two-way, horn loaded system, 80 Hz - 18 kHz, LF 1 x 12", HF 1 x 1" compression driver, 60°H x 60°V, 200W RMS, 500W PGM, 103dB Sensitivity, 8 Ohms, available with a light grey, or white, or black enclosure, grille and bracket.	£899.00
R.5-66TZ	Same as R.5-66Z with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£949.00
R.5-94Z	Weather Resistant Two-way, horn loaded system, 80 Hz - 18 kHz, LF 1 x 12", HF 1 x 1" compression driver, 90°H x 40°V, 200W RMS, 500W PGM, 101dB Sensitivity, 8 Ohms, available with a light grey, or white, or black enclosure, grille and bracket.	£899.00
R.5-94TZ	Same as R.5-94Z with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£949.00
R.5-99Z	Weather Resistant Two-way, horn loaded system, 80 Hz - 18 kHz, LF 1 x 12", HF 1 x 1" compression driver, 90°H x 90°V, 200W RMS, 500W PGM, 101dB Sensitivity, 8 Ohms, available with a light grey, or white, or black enclosure, grille and bracket.	£899.00
R.5-99TZ	Same as R.5-99Z with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£949.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts


R.5-HP

R.5-HP	Three-way, horn loaded, high-output full-range system 85 Hz - 16 kHz, 60°H x 40°V, LF 1 x 12", MF 1 x 2", HF 1 x 1", 200W RMS, 500W PGM, 106dB Sensitivity, 6 Ohms, available with a light grey, or white, or black enclosure, grille and bracket.	£1,549.00
R.5-HPT	Same as R.5-HP with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£1,599.00

R Series - R5-MAX

R.5-MAX

Product Code	Description	UK List (Ex VAT)
♦**R.5-66MAX**	Two-way system, 70 Hz – 20 kHz, 60° H x 60° V, LF 1 x 12", HF 1 x 1.4" compression driver, 600W RMS, 1,200W PGM, 103dB Sensitivity, 8 Ohms, available with a light grey, or white, or black enclosure, grille and bracket, Optional external 100V transformer (TRC 400).	£1,899.00
♦**R.5-96MAX**	Two-way system, 70 Hz – 20 kHz, 60° H x 60° V, LF 1 x 12", HF 1 x 1.4" compression driver, 600W RMS, 1,200W PGM, 102dB Sensitivity, 8 Ohms, available with a light grey, or white, or black enclosure, grille and bracket, Optional external 100V transformer (TRC 400).	£1,899.00
TRC400	Transformer for 70V and 100V lines for R.35-3896 and R.5-Max loudspeakers.	£209.00

R Series - R1

R1

Product Code	Description	UK List (Ex VAT)
♦**R1-64Z**	Two-way system, 90 Hz – 16 kHz, 50° H x 35° V, LF 1 x 12", HF 1 x 1" compression driver, 200W RMS, 500W PGM, 105dB Sensitivity, 8 Ohms, Mounting yoke bracket included. Optional external 100V transformer (TRC 400).	£1,749.00
♦**R1-66Z**	Two-way system, 90 Hz – 16 kHz, 60° H x 60° V, LF 1 x 12", HF 1 x 1" compression driver, 200W RMS, 500W PGM, 105dB Sensitivity, 8 Ohms, Mounting yoke bracket included. Optional external 100V transformer (TRC 400).	£1,749.00
♦**R1-94Z**	Two-way system, 90 Hz – 16 kHz, 90° H x 40° V, LF 1 x 12", HF 1 x 1" compression driver, 200W RMS, 500W PGM, 104dB Sensitivity, 8 Ohms, Mounting yoke bracket included. Optional external 100V transformer (TRC 400).	£1,749.00

BSI British Standards
BS EN 54-24:2008

EN54-24 Certified Products

EN54-24 versions of the following products are available - R1-64Z, R1-66Z, R1-94Z, R2-52Z, R2-77Z, R2-94Z, R2-474Z, R2-694Z, R6-51 - please contact the CUK Audio sales office on sales@cuk-audio.com or (0141) 440 5333 for more information and leadtimes.

Community™

R Series - R2

R2

Product Code	Description	UK List (Ex VAT)
♦R2-52Z	Three-way long throw, 70 Hz - 16 kHz, 50°H x 20°V, LF 2 x 12", MF 2 x 2", HF 1 x 1" compression driver, 400W RMS, 1000W PGM, 109dB Sensitivity, 4 Ohms, Mounting yoke bracket included. Optional external 100V transformer (TRC 400).	£2,899.00
♦R2-77Z	Three-way long throw, 70 Hz - 16 kHz, 60°H x 60°V, LF 2 x 12", MF 1 x 2", HF 1 x 1" compression driver, 400W RMS, 1000W PGM, 105dB Sensitivity, 4 Ohms, Mounting yoke bracket included. Optional external 100V transformer (TRC 400).	£2,499.00
♦R2-94Z	Three-way long throw, 70 Hz - 16 kHz, 80°H x 40°V, LF 2 x 12", MF 1 x 2", HF 1 x 1" compression driver, 400W RMS, 1000W PGM, 106dB Sensitivity, 4 Ohms, Mounting yoke bracket included. Optional external 100V transformer (TRC 400).	£2,499.00
♦R2-474Z	Three-way long throw, 70 Hz - 16 kHz, 40-70°H x 40°V, LF 2 x 12", MF 1 x 2", HF 1 x 1" compression driver, 400W RMS, 1000W PGM, 107dB Sensitivity, 4 Ohms, Mounting yoke bracket included. Optional external 100V transformer (TRC 400).	£2,499.00
♦R2-694Z	Three-way long throw, 70 Hz - 16 kHz, 60-90°H x 40°V, LF 2 x 12", MF 1 x 2", HF 1 x 1" compression driver, 400W RMS, 1000W PGM, 105dB Sensitivity, 4 Ohms, Mounting yoke bracket included. Optional external 100V transformer (TRC 400).	£2,499.00

R Series - R2 MAX

Product Code	Description	UK List (Ex VAT)
♦R2-64MAX	Three-way long throw, 70 Hz - 22 kHz, 60°H x 40°V, LF 2 x 12", MF 1 x 2", HF 1 x 1.4" compression driver, Biamp Only, LF: 1,200W RMS, 2400W PGM, MF/HF: 150W RMA, 300W PGM, 103 / 108dB Sensitivity, 2 x 8 Ohms, Mounting yoke bracket inc. Optional external 100V transformer (TRC 400).	£3,799.00
♦R2-66MAX	Three-way long throw, 70 Hz - 22 kHz, 60°H x 60°V, LF 2 x 12", MF 1 x 2", HF 1 x 1.4" compression driver, Biamp Only, LF: 1,200W RMS, 2400W PGM, MF/HF: 150W RMA, 300W PGM, 103 / 108dB Sensitivity, 2 x 8 Ohms, Mounting yoke bracket inc. Optional external 100V transformer (TRC 400).	£3,799.00
♦R2-94MAX	Three-way long throw, 70 Hz - 22 kHz, 90°H x 40°V, LF 2 x 12", MF 1 x 2", HF 1 x 1.4" compression driver, Biamp Only, LF: 1,200W RMS, 2400W PGM, MF/HF: 150W RMA, 300W PGM, 103 / 107dB Sensitivity, 2 x 8 Ohms, Mounting yoke bracket inc. Optional external 100V transformer (TRC 400).	£3,799.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Community™

R Series - SUBS

R.5-SUB	Direct Radiating Compact subwoofer, 45 Hz - 150 Hz, LF 1 x 12", 91dB Sensitivity, 200W RMS, 500W PGM, 6 Ohms, Light grey enclosure, grille and bracket.	£899.00
R.5-SUBT	Same as R.5-SUB with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£949.00
♦**R2SUBDF**	Vented Subwoofer, 30 Hz - 500 Hz, LF 2 x 12", 400W RMS, 1000W PGM, 92dB Sensitivity, 4 Ohms Direct-firing kit included. For mounting directly to the floor, walls, or ceiling. Optional external 100V transformer (TRC 400).	£2,499.00
♦**R2SUBZ**	Vented Subwoofer, 30 Hz - 500 Hz, LF 2 x 12", 400W RMS, 1000W PGM, 92dB Sensitivity, 4 Ohms, Mounting yoke bracket included. Optional external 100V transformer (TRC 400).	£2,299.00

R2SUBDF

R Series - R6

R6-51 Biamp

Product Code	Description	UK List (Ex VAT)
♦**R6 Basshorn**	Large format, high performance bass horn, 6 x 12", 45 Hz - 500 Hz, 6 x 12", 1200W RMS, 3000W PGM, 108dB Sensitivity, 4 Ohms.	£5,999.00
♦**R6-51Biamp**	Three-way full-range, bi-amp 50 Hz - 16 kHz, 50°H x 10°V, LF 6 x 12", MF 6 x 2", HF 6 x 1" compression driver, LF 1200W RMS, 108dB Sensitivity, 4 Ohms, MF 450W RMS, 113dB Sensitivity, 8 Ohms, HF 300W RMS, 113dB Sensitivity, 8 Ohms.	£9,999.00

R Series - Voice Range

RSH462

RMG200A

Product Code	Description	UK List (Ex VAT)
♦**RSH462**	Exponential FocusedArray™ horn system, Factory-installed bracket assembly comes fully assembled and attached to the RSH-462, 400 Hz - 8 kHz, 300W RMS, 750W Program, 118dB Sensitivity, 11 Ohms. Optional external 100V transformer (TRC 400).	£2,399.00
♦**RSH-GRL**	Grille kit for the RSH462.	£509.00
♦**RMG200A**	Voice range horn system, 50° H x 40° V, 400 Hz - 8 kHz, 1 x 2" Driver, 75W RMS, 120W PGM, 115dB Sensitivity, 11 Ohms, Factory-installed yoke bracket comes fully assembled and attached.	£919.00
♦**RMG200AT**	Same as RMG200A with a 200W autoformer for 100V line operation, with switchable taps @ 75W, 38W, 19W.	£959.00
♦**RMG-GRL**	Grille kit for the RMG200A/AT.	£89.00

WET Series II - Full Range

	Product Code	Description	UK List (Ex VAT)
W2-218	W2-218	Two-way, 70 Hz - 18 kHz, 80° H x 60° V, LF 1 x 8" carbon fiber, HF 1 x 1" compression driver, 125W RMS, 300W PGM, 93dB Sensitivity, 8 Ohms, yoke mounting bracket included, available in black or white.	£849.00
	W2-218T	Same as W2-218 with a 100W autoformer for 100V line operation, with switchable taps @ 100W, 50W, 25W.	£899.00
W2-228	W2-228	Quasi Three-way, 70 Hz - 18 kHz, 85° H x 85° V, MF/LF 2 x 8" carbon fiber, HF 1 x 1" compression driver, 250W RMS, 600W PGM, 96dB Sensitivity, 4 Ohms, yoke mounting bracket included, available in black or white.	£1,449.00
	W2-228T	Same as W2-228 with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£1,489.00
W2-2W8	W2-2W8	Two-way, 65 Hz - 18 kHz, 120° H x 60° V, LF 2 x 8", HF 1 x 1" compression driver, 250W RMS, 600W PGM, 97dB Sensitivity, 4 Ohms, yoke mounting bracket included, available in black or white.	£1,399.00
	W2-2W8T	Same as W2-2W8 with a 200W autoformer for 100V line operation, with switchable taps @ 200W, 100W, 50W.	£1,449.00

WET Series II - Subwoofers

	Product Code	Description	UK List (Ex VAT)
 W2-112	W2-112	Direct Radiating Subwoofer, 40 Hz - 700 Hz, LF 1 x 12" carbon fibre, 200W RMS, 500W PGM, 93dB Sensitivity, 8 Ohms, available in black or white.	£1,999.00
 W2-122	W2-122	Direct Radiating Subwoofer, 35 Hz - 600 Hz, LF 2 x 12" carbon fibre, 400W RMS, 1000W PGM, 95dB Sensitivity, 4 Ohms, available in black or white.	£2,999.00
 W2-125	W2-125	Direct Radiating Subwoofer, 30 Hz - 700 Hz, LF 2 x 12" carbon fibre, 400W RMS, 1000W PGM, 95dB Sensitivity, 4 Ohms, available in black or white.	£3,499.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

CORDIAL
we are cable

Bulk Signal Cable

Product Code	Description	UK List (Ex VAT)
CMK 209	Miniature Microphone Cable - Resistance 185 Ohm/km (Black), 100 / 500m. Price Per Metre.	£1.19
CME 220	Standard (Stage) Microphone Cable - Resistance 85 Ohm/km (Black), 100 / 500m. Price Per Metre.	£0.75
CMN 220	Standard (Install) Microphone Cable - Resistance 79 Ohm/km (Black). 100m. Price Per Metre.	£0.73
CMK 222	Performance (Stage) Microphone Cable - Resistance 85 Ohm/km (Black / Blue / Yellow / Green / Blue / Purple / White), 100 / 500m. Price Per Metre.	£0.89
CMK 222 FRNC	Performance (Install) Microphone Cable - Resistance 88 Ohm/km (Black), 100 / 500m. Price Per Metre.	£0.79
CM FLEX 222	Performance (Stage) Microphone Cable - Resistance 85 Ohm/km (Black). 100 / 500m. Price Per Metre.	£1.09
CMTOP 222	Performance (Studio) Double Shielded Microphone Cable - Resistance 87 Ohm/km (Black), 100 / 500m. Price Per Metre.	£1.39
CMK 442	Twin (Studio) Microphone Cable - Resistance 87 Ohm/km (Black), 100 / 500m. Price Per Metre.	£1.55
CMK 250	Performance (Install) Long Distance Microphone Cable - Resistance 39 Ohm/km (Black), 100 / 500m. Price Per Metre.	£1.11
CPK 220	Balanced patch cable - Resistance 100 Ohm/km (Black / Blue Red), 100m. Price Per Metre.	£0.89
CMK ROAD 250	Performance (Stage / Install) Microphone Cable - Resistance 38 Ohm/km (Black), 100 / 500m. Price Per Metre.	£1.89

Bulk Loudspeaker Cable

Product Code	Description	UK List (Ex VAT)
CLS 275 TT	0.75 mm twinaxial loudspeaker cable. transparent. 100 / 500m. Price Per Metre.	£0.75
CLS 215 TT	1.5 mm twinaxial loudspeaker cable. transparent. 100 / 500m. Price Per Metre.	£1.25
CLS 225 TT	2.5 mm twinaxial loudspeaker cable. transparent. 100 / 500m. Price Per Metre.	£1.99
CLS 260 TT	6.0 mm twinaxial loudspeaker cable. transparent. 100 / 500m. Price Per Metre.	£4.99
CLS 215	1.5 mm twinaxial high flex loudspeaker cable. Black. 100 / 500m. Price Per Metre.	£1.09
CLS 215 FRNC	1.5 mm twinaxial high flex loudspeaker cable. Black. 100m. Price Per Metre.	£1.65
CLS 225	2.5 mm twinaxial high flex loudspeaker cable. Black. 100 / 500m. Price Per Metre.	£1.59

Bulk Loudspeaker Cable

	Product Code	Description	UK List (Ex VAT)
	CLS 225 FRNC	2.5 mm twinaxial high flex loudspeaker cable. Black. 100 / 500m. Price Per Metre.	£2.19
	CLS 240	4.0 mm twinaxial high flex loudspeaker cable. Black. 100 / 500m. Price Per Metre.	£2.59
	CLS 240 FRNC	4.0 mm twinaxial high flex loudspeaker cable. Black. 100 / 500m. Price Per Metre.	£3.19
	CLS 260	6.0 mm twinaxial high flex loudspeaker cable. Black. 500m. Price Per Metre.	£3.49
	CLS 425	2.5 mm quad core high flex loudspeaker cable. Black, 100 / 500m. Price Per Metre.	£3.49
	CLS 440	4.0 mm quad core high flex loudspeaker cable. Black, 100 / 300m. Price Per Metre.	£4.99
	CLS 825	2.5 mm octo core high flex loudspeaker cable. Black, 100 / 500m. Price Per Metre.	£7.59
	CLS 825-40	2.5 mm quad core, 4.0 mm quad core, high flex loudspeaker cable. Black, 10+ / 200m. Price Per Metre.	£10.49
	CLS 840	4.0 mm octo core high flex loudspeaker cable. Black, 10+ / 200m. Price Per Metre.	£11.99

Bulk DMX Cable

	Product Code	Description	UK List (Ex VAT)
	CDMX 1	DMX / Digital Control Cable, 1 pair, double shielded. Black, 100 / 500m. Price Per Metre.	£1.19
	CDMX 1 FRNC	DMX / Digital Control Cable, 1 pair, double shielded. Black, 100 / 500m. Price Per Metre.	£1.29
	CDMX 2	DMX / Digital Control Cable, 2 pairs, double shielded. Black, 100 / 500m. Price Per Metre.	£2.09
	CDP 1	DMX Hybrid Cable, 1 pair, double shielded, power. Black, 10+ / 500m. Price Per Metre.	£5.19
	CDP 2-25	DMX Hybrid Cable, 2 pairs, double shielded, power. Black, 10+ / 500m. Price Per Metre	£8.99

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

CORDIAL
we are cable

Bulk Digital / Control Cable

Product Code	Description	UK List (Ex VAT)
CMD 8	Multicore Digital AES EBU, Black, 10m+. Price Per Metre.	£8.49
CCAT5	High flex, robust CAT5e, Ethersound tested, to be reeled, Stage, Black, 100 / 500m. Price Per Metre.	£4.49
CCAT7	High flex, robust CAT7a, to be reeled, Stage, Black, 100 / 500m. Price Per Metre	£3.99
CDS 122	SPDIF Worldclock Cable, Black, 75 Ohm,100m,Price Per Metre.	£0.95
CVI 06-37	Flexible 75 Ohm Coax, 7 x 0.2 CU blank, 67 pF/M, Stage / Installation, (Green), 100m. Price Per Metre.	£0.85
CAMX 2-2FR	AMX Cable / CresNet Type Cable - Flame Retardant. Price Per Metre.	£2.29

Pre-Made XLR to XLR

Product Code	Description	UK List (Ex VAT)
CCM 0.5 FM	XLR (Female) to XLR (Male), CMN 220 Cable, REAN connectors, 0.5m Length.	£5.79
CCM 1 FM	XLR (Female) to XLR (Male), CMN 220 Cable, REAN connectors, 1m Length.	£6.19
CCM 1.5 FM	XLR (Female) to XLR (Male), CMN 220 Cable, REAN connectors, 1.5m Length.	£6.89
CCM 2.5 FM	XLR (Female) to XLR (Male), CMN 220 Cable, REAN connectors, 2.5m Length.	£7.59
CCM 5 FM	XLR (Female) to XLR (Male), CMN 220 Cable, REAN connectors, 5m Length.	£9.29
CCM 7.5 FM	XLR (Female) to XLR (Male), CMN 220 Cable, REAN connectors, 7.5m Length.	£11.39
CCM 10 FM	XLR (Female) to XLR (Male), CMN 220 Cable, REAN connectors, 10m Length.	£13.19
CCM 20 FM	XLR (Female) to XLR (Male), CMN 220 Cable, REAN connectors, 20m Length.	£19.99

Pre-Made Female XLR to Mono 1/4" Jack

Product Code	Description	UK List (Ex VAT)
CCM 5 FP	XLR (Female) to Gold Mono 1/4" Jack, CMN 220 Cable, REAN connectors, 5m Length.	£9.19
CCM 7.5 FP	XLR (Female) to Gold Mono 1/4" Jack, CMN 220 Cable, REAN connectors, 7.5m Length.	£10.99
CCM 10 FP	XLR (Female) to Gold Mono 1/4" Jack, CMN 220 Cable, REAN connectors, 10m Length.	£12.99

Pre-Made Male XLR to Mono 1/4" Jack

Product Code	Description	UK List (Ex VAT)
CCM 5 MP	XLR (Male) to Gold Mono 1/4" Jack, CMN 220 Cable, REAN connectors, 5m Length.	£8.99
CCM 7.5 MP	XLR (Male) to Gold Mono 1/4" Jack, CMN 220 Cable, REAN connectors, 7.5m Length.	£10.99
CCM 10 MP	XLR (Male) to Gold Mono 1/4" Jack, CMN 220 Cable, REAN connectors, 10m Length.	£12.59

Pre-Made Female XLR to Stereo 1/4" Jack

Product Code	Description	UK List (Ex VAT)
CFM 0.3 FV	XLR (Female) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 0.3m Length.	£5.49
CFM 0.6 FV	XLR (Female) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 0.6m Length.	£5.69
CFM 1.5 FV	XLR (Female) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 1.5m Length.	£5.59
CFM 3 FV	XLR (Female) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 3m Length.	£7.69
CFM 6 FV	XLR (Female) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 6m Length.	£9.99
CFM 9 FV	XLR (Female) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 9m Length.	£12.19

Pre-Made Male XLR to Stereo 1/4" Jack

Product Code	Description	UK List (Ex VAT)
CFM 0.3 MV	XLR (Male) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 0.3m Length.	£5.19
CFM 0.6 MV	XLR (Male) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 0.6m Length.	£5.49
CFM 1.5 MV	XLR (Male) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 1.5m Length.	£6.29
CFM 3 MV	XLR (Male) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 3m Length.	£7.39
CFM 6 MV	XLR (Male) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 6m Length.	£9.69
CFM 9 MV	XLR (Male) to Gold Stereo 1/4" Jack, CMN 220 Cable, REAN connectors, 9m Length.	£11.49

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Pre-Made Female XLR to 1/4" Jack Socket

Product Code	Description	UK List (Ex VAT)
CFM 0.15 KF	XLR (Female) to Stereo 1/4" Jack Socket, REAN Connectors, 0.15m Length.	£8.39

Pre-Made Male XLR to 1/4" Jack Socket

Product Code	Description	UK List (Ex VAT)
CFM 0.15 KM	XLR (Male) to Stereo 1/4" Jack Socket, REAN Connectors, 0.15m Length.	£7.99

Pre-Made 1/4" Stereo Jack to 3.5mm Jack Socket

Product Code	Description	UK List (Ex VAT)
CFM 0.15 VY	Stereo 1/4" Jack to 3.5mm Jack Socket, REAN Connectors, 0.15m Length.	£5.89
CFM 3 VY	Stereo 1/4" Jack to 3.5mm Jack Socket, REAN Connectors, 3m Length.	£8.09

Pre-Made 3.5mm Stereo Jack to 1/4" Jack Socket

Product Code	Description	UK List (Ex VAT)
CFM 0.15 WK	3.5mm Stereo Jack to 1/4" Jack Socket, REAN Connectors, 0.15m Length.	£7.39
CFM 3 WK	3.5mm Stereo Jack to 1/4" Jack Socket, REAN Connectors, 3m Length.	£9.29

Pre-Made Female XLR to 3.5mm Stereo Jack

Product Code	Description	UK List (Ex VAT)
CPM 1.5 FW-BAL	XLR (Female) to Stereo 3.5mm Jack (Balanced), CMK 209 Cable, Neutrik Connectors, 1.5m Length.	£12.59
CPM 3.0 FW-BAL	XLR (Female) to Stereo 3.5mm Jack (Balanced), CMK 209 Cable, Neutrik Connectors, 3m Length.	£14.29
CPM 1.5 FW-UNB	XLR (Female) to Stereo 3.5mm Jack (Unbalanced), CMK 209 Cable, Neutrik Connectors, 1.5m Length.	£12.59
CPM 3.0 FW-UNB	XLR (Female) to Stereo 3.5mm Jack (Unbalanced), CMK 209 Cable, Neutrik Connectors, 3m Length.	£14.29

T: 0141 440 5333
F: 0141 440 1119
E: sales@cuk-audio.com

CORDIAL
we are cable

Pre-Made 1/4" Mono Jack Leads

Product Code	Description	UK List (Ex VAT)
CCI 0.3 PP	1/4 Mono Jack to 1/4" Mono Jack, REAN Connectors, 0.3m Length.	£4.79
CCI 0.6 PP	1/4 Mono Jack to 1/4" Mono Jack, REAN Connectors, 0.6m Length.	£4.99
CCI 0.9 PP	1/4 Mono Jack to 1/4" Mono Jack, REAN Connectors, 0.9m Length.	£5.09
CCI 1.5 PP	1/4 Mono Jack to 1/4" Mono Jack, REAN Connectors, 1.5m Length.	£5.79
CCI 3 PP	1/4 Mono Jack to 1/4" Mono Jack, REAN Connectors, 3m Length.	£6.79
CCI 6 PP	1/4 Mono Jack to 1/4" Mono Jack, REAN Connectors, 6m Length.	£9.19
CCI 9 PP	1/4 Mono Jack to 1/4" Mono Jack, REAN Connectors, 9m Length.	£12.19

Pre-Made 1/4" Stereo Jack Leads

Product Code	Description	UK List (Ex VAT)
CFM 0.3 VV	1/4 Stereo Jack to 1/4" Stereo Jack, REAN Connectors, 0.3m Length.	£5.59
CFM 0.6 VV	1/4 Stereo Jack to 1/4" Stereo Jack, REAN Connectors, 0.6m Length.	£5.79
CFM 0.9 VV	1/4 Stereo Jack to 1/4" Stereo Jack, REAN Connectors, 0.9m Length.	£5.99
CFM 1.5 VV	1/4 Stereo Jack to 1/4" Stereo Jack, REAN Connectors, 1.5m Length.	£6.39
CFM 3 VV	1/4 Stereo Jack to 1/4" Stereo Jack, REAN Connectors, 3m Length.	£7.89
CFM 6 VV	1/4 Stereo Jack to 1/4" Stereo Jack, REAN Connectors, 6m Length.	£10.29
CFM 9 VV	1/4 Stereo Jack to 1/4" Stereo Jack, REAN Connectors, 9m Length.	£12.59

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Pre-Made Phono to Phono Leads

Product Code	Description	UK List (Ex VAT)
CIU 0.3 CC	Phono to Phono, GOLD, 0.3m Length.	£10.99
CIU 0.6 CC	Phono to Phono, GOLD, 0.6m Length.	£11.49
CIU 0.9 CC	Phono to Phono, GOLD, 0.9m Length.	£11.79
CIU 1.5 CC	Phono to Phono, GOLD, 1.5m Length	£13.19
CIU 3 CC	Phono to Phono, GOLD, 3m Length.	£14.99

Pre-Made Female XLR to Phono Leads

Product Code	Description	UK List (Ex VAT)
CFU 1.5 FC	Dual Female XLR to Dual GOLD Phono, 1.5m Length.	£10.99
CFU 3 FC	Dual Female XLR to Dual GOLD Phono, 3m Length.	£12.59

Pre-Made Male XLR to Phono Leads

Product Code	Description	UK List (Ex VAT)
CFU 1.5 MC	Dual Male XLR to Dual GOLD Phono, 1.5m Length.	£10.49
CFU 3 MC	Dual Male XLR to Dual GOLD Phono, 3m Length.	£12.19
CFU 6 MC	Dual Male XLR to Dual GOLD Phono, 6m Length.	£15.79

Pre-Made 1/4" Jacks to Phono Leads

Product Code	Description	UK List (Ex VAT)
CFU 0.6 PC	Dual 1/4" Jack to Dual GOLD Phono, 0.6m Length.	£8.59
CFU 1.5 PC	Dual 1/4" Jack to Dual GOLD Phono, 1.5m Length.	£9.79
CFU 3 PC	Dual 1/4" Jack to Dual GOLD Phono, 3m Length.	£11.49
CFU 6 PC	Dual 1/4" Jack to Dual GOLD Phono, 6m Length.	£15.29

Pre-Made Dual 1/4" Jack to Dual 1/4" Jack Leads

Product Code	Description	UK List (Ex VAT)
CFU 0.6 PP	Dual 1/4" Jack to Dual 1/4" Jack, 0.6m Length.	£8.89
CFU 1.5 PP	Dual 1/4" Jack to Dual 1/4" Jack, 1.5m Length.	£9.89
CFU 3 PP	Dual 1/4" Jack to Dual 1/4" Jack, 3m Length.	£11.49
CFU 6 PP	Dual 1/4" Jack to Dual 1/4" Jack, 6m Length.	£15.39

T: 0141 440 5333
F: 0141 440 1119
E: sales@cuk-audio.com

Pre-Made 3.5mm to Dual Phono Leads

Product Code	Description	UK List (Ex VAT)
CFY 0.9 WCC	3.5mm GOLD Stereo Jack to Dual Gold Phono, 0.9m Length.	£6.99
CFY 1.5 WCC	3.5mm GOLD Stereo Jack to Dual Gold Phono, 1.5m Length.	£7.59
CFY 3 WCC	3.5mm GOLD Stereo Jack to Dual Gold Phono, 3.0m Length.	£8.39
CFY 6 WCC	3.5mm GOLD Stereo Jack to Dual Gold Phono, 6.0m Length.	£10.39

Pre-Made 3.5mm to Dual 1/4" Jack Leads

Product Code	Description	UK List (Ex VAT)
CFY 0.9 WPP	3.5mm GOLD Stereo Jack to Dual Gold 1/4" Jacks, 0.9m Length.	£7.19
CFY 1.5 WPP	3.5mm GOLD Stereo Jack to Dual Gold 1/4" Jacks, 1.5m Length.	£7.69
CFY 3 WPP	3.5mm GOLD Stereo Jack to Dual Gold 1/4" Jacks, 3m Length.	£8.69
CFY 6 WPP	3.5mm GOLD Stereo Jack to Dual Gold 1/4" Jacks, 6m Length.	£10.69

Pre-Made 3.5mm to Dual Female XLR Leads

Product Code	Description	UK List (Ex VAT)
CFY 1.8 WFF	3.5mm GOLD Stereo Jack to Dual Female XLR, 1.8m Length.	£8.79
CFY 3 WFF	3.5mm GOLD Stereo Jack to Dual Female XLR, 3m Length.	£9.69

Pre-Made 3.5mm to Dual Male XLR Leads

Product Code	Description	UK List (Ex VAT)
CFY 1.8 WMM	3.5mm GOLD Stereo Jack to Dual Male XLR, 1.8m Length.	£8.19
CFY 3 WMM	3.5mm GOLD Stereo Jack to Dual Male XLR, 3m Length.	£8.99

Pre-Made XLR Y-Split Lead

Product Code	Description	UK List (Ex VAT)
CFY 0.3 FMM	Female XLR to Dual Male XLR, 0.3m Length.	£9.29

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Pre-Made Speaker Cables / Speakon Connectors

Product Code	Description	UK List (Ex VAT)
CPL 3 LL2	Speakon to Speakon (2 pole) twin axial loudspeaker cable, 3m Length.	£15.69
CPL 5 LL2	Speakon to Speakon (2 pole) twin axial loudspeaker cable, 5m Length.	£19.49
CPL 10 LL2	Speakon to Speakon (2 pole) twin axial loudspeaker cable, 10m Length.	£28.99
CPL 15 LL2	Speakon to Speakon (2 pole) twin axial loudspeaker cable, 15m Length.	£37.99
CPL 20 LL2	Speakon to Speakon (2 pole) twin axial loudspeaker cable, 20m Length.	£47.99

Pre-Made Speaker Cables / Speakon & 1/4" Jack

Product Code	Description	UK List (Ex VAT)
CPL 5 LP 25	1/4" Jack to Speakon (2 pole) twin axial loudspeaker cable, 5m Length.	£19.49
CPL 10 LP 25	1/4" Kack to Speakon (2 pole) twin axial loudspeaker cable, 10m Length.	£28.99

Pre-Made Powercon Interlink Cables

Product Code	Description	UK List (Ex VAT)
CFCA 1.5 FCB	Powercon interlink cable, 1.5m Length.	£30.99
CFCA 3 FCB	Powercon Interlink cable, 3m Length.	£35.99

Pre-Made Multi Cores

Product Code	Description	UK List (Ex VAT)
CYB 8-0 C 15	8 in, 0 out, XLR Connectors, 15m.	£125.99
CYB 8-4 C 15	8 in, 4 out, XLR Connectors, 15m.	£167.99
CYB 8-4 C 30	8 in, 4 out, XLR Connectors, 30m.	£239.99
CYB 12-4 C 30	12 in, 4 out, XLR Connectors, 30m.	£315.99
CYB 16-4 C 30	16 in, 4 out, XLR Connectors, 30m.	£369.99
CYB 24-4 C 30	24 in, 4 out, XLR Connectors, 30m.	£549.99
CYB-CARRY-CASE3	Carry case for pre-made multi cores.	£64.99

Custom special order multi cores are also available please contact the CUK Audio sales office on (0141) 440 5333 or sales@cuk-audo.com for more information.

Adaptors and DI Boxes

Product Code	Description	UK List (Ex VAT)
CES 01	High Quality Passive DI Box	£29.99
CES 02	High Quality Passive Stereo DI Box	£72.99
CIW 1	Impedance Converter	£44.99
CGL 1	XLR Ground Lift Switch	£41.99
CDG 10	10dB In Line Attenuator.	£41.99
CDG 20	20dB In Line Attenuator.	£41.99

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

dBTechnologies

MINI BOX Series

The MINI BOX Series of self powered loudspeakers is designed with both fixed installation portable applications in mind. Each loudspeaker in the range is equipped with a Class D amplifier module to ensure the loudspeakers are light weight and reliable. In addition to this each loudspeaker is equipped with a range of inputs and outputs (varying by model).

While the L160D is equipped with DSP and 8 user recallable factory defined presets depending on the application in order to guarantee optimal performance and simple set-up.

A single bracket option mounts all models to a wall in an installation, while single stand mount options across the range continue the simple use theme.

Product Code	Description	UK List (Ex VAT)
K70	Compact Active Speaker 1x5" dB Bass + Tweeter,100 W / Music, 50 W / RMS, 101 dB SPL max, 100 – 16kHz, Dimensions 170x270x185 mm, Weight 3,5 Kg	£179.00
K162	Compact Active Speaker 2 x 6,5" dB Bass + Tweeter, 130 W / Music, 65 W / RMS, 110 dB SPL max, 85 – 19.kHz, Dimensions 210x350x270mm, Weight 5,5 Kg	£229.00
K300	Compact Active Speaker 2 x 6,5" neodymium woofer with 1,5"VC, 1" neodymium driver , Class-D Bi-Amp 120 W/RMS, max. SPL peak 118dB, Dimensions 210x350x270 mm, weight 5 Kg.	£349.00
L160D	Compact Active Speaker 2x5" woofer 1" coaxial tweeter, 160 W digipack, DSP 24bit 48 kHz, 116 dB SPL max, 63-20.000Hz, Dimensions: 200x335x220 mm, Weight 4,5 Kg.	£319.00

dBTechnologies

Cromo+ Series

The Cromo+ Series offers powered loudspeakers with modern digital technology for first time users, without having to miss out on professional features and outstanding audio performance.

The compact multifunction cabinet of the Cromo+ Series, is equipped with an asymetrical CD horn, the result is that the high frequencies are aimed at the audience when stand mounted. Unlike conventional symetrical horns which would send over 20% of the high frequency energy over the top of the audience.

For increased versatility all Cromo+ models are equipped with a microphone input on XLR and jack sockets.

The Cromo+ Series features the ultra compact Digipack™ digital power amplifiers, based on the patented Digipro™ amp technology for maximum efficiency.

The integrated digital signal processor (DSP) is calibrated to fine tune each of the loudspeaker components for optimal performance. All in all, packed with true professional features and technology, making it unique in its class and setting new standards in entry level loudspeaker lines.

Product Code	Description	UK List (Ex VAT)
Cromo 8+	2-Way Active Speaker 8" woofer, 1" HF driver, 300W digipack, Asymmetrical CD Horn , Directivity 90/70 x 60 °, 118 dB SPL max, Dimensions 270x435x252 mm, Weight 9.9 kg	£229.00
Cromo 10+	2-Way Active Speaker 10" woofer, 1" HF driver, 400W digipack, Asymmetrical CD Horn , Directivity 90/70 x 60 °, 121 dB SPL max, Dimensions 320x508x297 mm, Weight 12 kg	£269.00
Cromo 12 Club	2-Way Active Speaker 12" woofer, 1" HF driver, 400W digipack, Asymmetrical CD Horn , Directivity 90/70 x 60 °, 124 dB SPL max, Dimensions 402x615x356mm, Weight 18.5 kg	£359.00
Cromo 12+	2-Way Active Speaker 12" woofer, 1" HF driver, 600W digipack, Asymmetrical CD Horn , Directivity 90/70 x 60 °, 126 dB SPL max, Dimensions 402x615x356mm, Weight 18.5 kg	£389.00
Cromo 15+	2-Way Active Speaker 15" woofer, 1" HF driver, 600W digipack, Asymmetrical CD Horn , Directivity 90/70 x 60 °, 130 dB SPL max, Dimensions 475x726x423mm, Weight 22.9 kg	£469.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

dB Technologies

Opera 500 DX Series

dB Technologies has added another chapter to the celebrated Opera Series' 12 year success story. Welcome the new Opera DX line. Engineers at dB Technologies have again succeeded in treating users to state of the art features and functions unrivalled at this price range.

The Digipro G2 digital power amps, DSP and asymetrical horns have all been optimised to deliver outstanding performance and so the three Opera DX lines (500, 700, and 900) lines provide a tailored solution for every sound reinforcement application.

The secret to the extaordinary performance of the Opera DX line is the extent of the design and development work done by dB Technologies industry leading engineering team. As a result every component of the Opera DX line has been developed from the ground up specifically for the new series.

This painstaking attention to detail has made the Opera series one of the most successful and most frequently copied speaker systems. In Opera DX, dB Technologies leverages leading edge technologies and proven manufacturing processes to ensure that every one that leaves its production facility in Italy delivers the quality and performance the industry has come to expect from Opera.

Product Code	Description	UK List (Ex VAT)
Opera 508 DX	2-Way Active Speaker 8" woofer, 1" HF driver, 400W digipro , Asymmetrical CD Horn , Directivity 80/65 x 60°, 121 dB SPL max, Dimensions 300x484x284 mm, Weight 7.9 kg	£369.00
Opera 510 DX	2-Way Active Speaker 10" woofer, 1" HF driver, 400W digipro , Asymmetrical CD Horn , Directivity 80/65 x 60°, 122 dB SPL max, Dimensions 343x553x304 mm, Weight 9.8 kg	£429.00
Opera 512 DX	2-Way Active Speaker 12" woofer, 1" HF driver, 400W digipro , Asymmetrical CD Horn , Directivity 80/65 x 60°, 126 dB SPL max, Dimensions 432x665x353 mm, Weight 15.8 kg	£499.00
Opera 515 DX	2-Way Active Speaker 15" woofer, 1" HF driver, 400W digipro , Asymmetrical CD Horn , Directivity 80/65 x 60°, 126 dB SPL max, Dimensions 432x665x353 mm, Weight 16.7 kg	£529.00

dB Technologies

Opera 700 DX Series

dB Technologies has added another chapter to the celebrated Opera Series' 12 year success story. Welcome the new Opera DX line. Engineers at dB Technologies have again succeeded in treating users to state of the art features and functions unrivalled at this price range.

The Digipro G2 digital power amps, DSP and asymetrical horns have all been optimised to deliver outstanding performance and so the three Opera DX lines (500, 700, and 900) lines provide a tailored solution for every sound reinforcement application.

The secret to the extaordinary performance of the Opera DX line is the extent of the design and development work done by dB Technologies industry leading engineering team. As a result every component of the Opera DX line has been developed from the ground up specifically for the new series.

This painstaking attention to detail has made the Opera series one of the most successful and most frequently copied speaker systems. In Opera DX, dB Technologies leverages leading edge technologies and proven manufacturing processes to ensure that every one that leaves its production facility in Italy delivers the quality and performance the industry has come to expect from Opera.

Product Code	Description	UK List (Ex VAT)
Opera 710 DX	2-Way Active Speaker 10" woofer, 1" HF driver, 700W digipro G2 , Asymmetrical CD Horn Directivity 80/65 x 60°, 127 dB SPL max, Dimensions 343x553x304 mm, Weight 11.6 kg	£529.00
Opera 712 DX	2-Way Active Speaker 12" woofer, 1" HF driver, 700W digipro G2, Asymmetrical CD Horn Directivity 80/65 x 60°, 128 dB SPL max, Dimensions 432x665x353 mm, Weight 15.4 kg	£629.00
Opera 715 DX	2-Way Active Speaker 15" woofer, 1" HF driver, 700W digipro G2, Asymmetrical CD Horn Directivity 80/65 x 60°, 129 dB SPL max, Dimensions 432x665x353 mm, Weight 15.4 kg	£689.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

dBTechnologies

Opera 900 DX Series

dB Technologies has added another chapter to the celebrated Opera Series' 12 year success story. Welcome the new Opera DX line. Engineers at dB Technologies have again succeeded in treating users to state of the art features and functions unrivalled at this price range.

The Digipro G2 digital power amps, DSP and asymetrical horns have all been optimised to deliver outstanding performance and so the three Opera DX lines (500, 700, and 900) lines provide a tailored solution for every sound reinforcement application.

The secret to the extaordinary performance of the Opera DX line is the extent of the design and development work done by dB Technologies industry leading engineering team. As a result every component of the Opera DX line has been developed from the ground up specifically for the new series.

This painstaking attention to detail has made the Opera series one of the most successful and most frequently copied speaker systems. In Opera DX, dB Technologies leverages leading edge technologies and proven manufacturing processes to ensure that every one that leaves its production facility in Italy delivers the quality and performance the industry has come to expect from Opera.

Product Code	Description	UK List (Ex VAT)
Opera 910 DX	2-Way Active Speaker 10" woofer, 1" HF driver, 900W digipro G2 , Asymmetrical CD Horn Directivity 80/65 x 60°, 130 dB SPL max, Dimensions 343x553x304 mm, Weight 11.7 kg	£729.00
Opera 912 DX	2-Way Active Speaker 12" woofer, 1" HF driver, 900W digipro G2, Asymmetrical CD Horn Directivity 80/65 x 60°, 131 dB SPL max, Dimensions 432x665x353 mm, Weight 18.1 kg	£829.00
Opera 915 DX	2-Way Active Speaker 15" woofer, 1" HF driver, 900W digipro G2, Asymmetrical CD Horn Directivity 80/65 x 60°, 132 dB SPL max, Dimensions 432x665x353 mm, Weight 18.8 kg	£879.00

dBTechnologies

Opera - Black Line Series

Opera 915 BL

Product Code	Description	UK List (Ex VAT)
Opera 710 BL	2-Way Active Speaker 10" woofer, 1" HF driver, 700W digipro G2®, Asymmetrical CD Horn Directivity 80/65 x 60°, 127 dB SPL max, Full Grille, Weight 11.6 kg	£549.00
Opera 712 BL	2-Way Active Speaker 12" woofer, 1" HF driver, 700W digipro G2®, Asymmetrical CD Horn Directivity 80/65 x 60°, 128 dB SPL max, Full Grille, Weight 15.9 kg	£649.00
Opera 715 BL	2-Way Active Speaker 15" woofer, 1" HF driver, 700W digipro G2®, Asymmetrical CD Horn Directivity 80/65 x 60°, 129 dB SPL max, Full Grille, Weight 16.4 kg	£709.00
Opera 910 BL	2-Way Active Speaker 10" woofer, 1" HF driver, 900W digipro G2®, Asymmetrical CD Horn Directivity 80/65 x 60°, 130 dB SPL max, Full Grille, Weight 11.7 kg	£769.00
Opera 912 BL	2-Way Active Speaker 12" woofer, 1" HF driver, 900W digipro G2®, Asymmetrical CD Horn Directivity 80/65 x 60°, 131 dB SPL max, Full Grille, Weight 18.9 kg	£849.00
Opera 915 BL	2-Way Active Speaker 15" woofer, 1" HF driver, 900W digipro G2®, Asymmetrical CD Horn Directivity 80/65 x 60°, 132 dB SPL max, Full Grille, Weight 19.3 kg	£899.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

dB Technologies

Flexsys Series

The Flexsys Series offers an extensive range of self powered mid/hi and full range portable loudspeakers. Each constructed of high grade multiplex ply. Each model is equipped with high performance transducers specifically designed for this range, all driven by dB Technologies' patented Digipro™ amplifer modules. Each model is shipped the a range of factory DSP presets that can be changed and recalled by the user - these vary between models and include - Flat, Processed, and Clustered.

The smaller models in the Flexsys Series have a cabinet design that allows them also to be used as stage monitors increasing the versatility of the products - the F8 and F10 have a 40° angle , while the F12 and F15 have a 45° angle making them ideal as stage monitors.

Product Code	Description	UK List (Ex VAT)
Flexsys F8	2-way Active Speaker, 200W/RMS digipro® digital bi-amp power, 24-Bit/48Khz DSP, 1 x 8" woofer with 1,5" VC, 1" neodymium driver with rotatable asymm. 90°/40°x60° horn, SPL peak 121 dB, dimensions 260x420x260mm, Weight 9.5 kg / 20.94 lbs.	£559.00
Flexsys F10	2-way Active Speaker, 200W/RMS digipro® digital bi-amp power, 24-Bit/48Khz DSP, 1 x 10" woofer with 1,5" VC, 1" neodymium driver with rotatable asymm. 90°/40°x60° horn, SPL peak 125 dB, dimensions 300x483x300mm, weight 12 kg / 26.45 lbs.	£629.00
Flexsys F12	2-way Active Speaker, 400W/RMS digipro® digital bi-amp power, 24-Bit/48Khz DSP, 1 x 12" woofer with 2 " VC, 1" compression driver with rotatable 90°x40° horn, SPL peak 127 dB, dimensions 360x610x360mm, weight 16.5 kg / 36.37 lbs.	£869.00
Flexsys F15	2-way Active Speaker, 400W/RMS digipro® digital bi-amp power, 24-Bit/48Khz DSP, 1 x 15" woofer with 2 " VC, 1" compression driver with rotatable 90°x40° horn, SPL peak 128 dB, dimensions 430x680x430mm, weight 20 kg / 44.09 lbs.	£969.00
Flexsys F212	2-way Active Speaker, 750W/RMS digipro™ digital power, 2 x 12" high power woofers incl. ADC™ phase alignment, 1 x 1" RCF neodymium compression driver , rotatable 60°x40° horn, SPL max. 132 dB 50Hz-20KHz, dimensions 360x930x500mm, weight 31.5 kg / 69.44 lbs.	£1,449.00
Flexsys F315	3-way Active Speaker, 750W/RMS digipro™, 1 x 15" high power woofer, 1x 6" hornloaded mid range driver, 1 x 1" compression driver, rotatable 90°x40° CD Horn, 12 x M10 rigging points, SPL max. 131 dB, 47Hz-20KHz, dimensions 440x880x500mm, weight 31 kg / 68.2lbs.	£1,549.00

dBTechnologies

Flexsys FM Series

A revolution in sound reinforcement, the Flexsys FM Series offers a range of tailored stage moitoring solutions, which as you would expect from dB technologies is loaded with innovative technologies.

Housed in compact multifunctional enclosures, these stage monitors raise the bar for intelligability, definition and ease of use. They are the first choice when nothing less than the best on stage will do. With all models being fitted with a pole mount allowing them to be used on stands as a main PA.

All models are fitted with newly developed coaxial transducers that deliver extraordinary sounds quality and output, far greater than the compact form factor would lead the user to expect. Engineered for precise directivity and control, they provide the same listening experience in every stage position, all this with a far greater resistance to feedback.

Flexsys FM stage monitors also feature a powerful DSP that controls the crossver. Digital multiband limiters, phase correction, and eight (8) user selectable presets that serve to adapt the Flexsys FM to the varying demands of a stage monitor / main PA.

Product Code	Description	UK List (Ex VAT)
Flexsys FM 8	Coaxial, Active , 8" / 1" Stage Monitor, 100W/RMS bi-amp digipack, 24-Bit DSP including 8 Presets, 117dB Max. SPL, Pole Mount, Dimensions. 280x290x410mm, 9.8kg	£379.00
Flexsys FM 10	Coaxial, Active, 10"/1" Stage Monitor, 200W/RMS bi-amp digipack, 24-Bit DSP including 8 Presets, 120dB Max. SPL, Pole Mount, Dimensions. 370x290x410mm, 12.8kg	£469.00
Flexsys FM 12	Coaxial, Active, 12"/1" Stage Monitor, 300W/RMS bi-amp digipack, 24-Bit DSP including 8 Presets, 120dB Max. SPL, Pole Mount, Dimensions. 490x290x410mm, 17kg	£599.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

dBTechnologies

Ready 4

After the great success of the Mobile 110 Sport speaker, dB Technologies has introduced the Ready 4, a high-performance, versatile speaker that sets a new standard for portable PA systems.

Featured with multiple power supply options (battery/power mains), the new Ready 4 can be used in any situation. The battery ensures several hours of autonomy. An exhausted battery can be quickly replaced with a charged battery through the back removable panel. The speaker can be connected to 220 V or 110 V AC power, thanks to a SMPS with auto-range, or a 15 V power supply via an optional external adapter.

Based on the Black Line series box, the new Ready 4 features a stylish contemporary design that will suit any situation.
An optional Bluetooth board, a MIX OUT output and a bright multi-function OLED display enhance the excellent potential of the new Ready 4, placing it right at the top of its category.

Product Code	Description	UK List (Ex VAT)
READY 4 **Available Dec 2014**	2-Way Active Speaker 10" woofer, 1" HF driver, 100W digipro G2®, Asymmetrical CD Horn Directivity 80/65 x 60°, 120 dB SPL max, Full Grille, 1x OLED display with 4 push buttons, 2x Audio signal monitoring leds, 1x USB type "B" port (service data), 1x power supply source switch (external, internal or OFF), 12V - 7Ah lead acid battery (user-replaceable) , Digital battery charger, Battery management and power saving functions, 1x Combo (XLR/jack) input, 1x Mic/Line volume control, 1x Mic/Line selection switch, 1x 16ch. UHF wireless built-in receiver, 1x Wireless receiver volume control , 2x RCA unbalanced inputs, 1x Bluetooth™ built-in audio receiver (optional), 1x USB type "A" port for media files (MP3/WMA/AAC), 1x RCA/USB/Bluetooth™ volume control, Mixed out 1 x 1/4" Jack, Weight 11.3 kg	£749.00
HH1	Handheld microphone transmitter.	TBA
BP1	Beltpack transmitter with headset microphone.	TBA
BT1	Optional Bluetooth® Module.	TBA

dBTechnologies

SUB Series

dB Technologies is well known for its remarkable active subwoofers with outstanding performance, which combines powerful and precise subsonic reproduction with excellent tonal quality.

The dB Technologies bandpass design guarantees maximum performance from a very compant and light weight enclosure, which is critical in mobile applications. All models are equipped with an active crossover, which can operate in mono or stereo mode, providing flexibility for applications with active mid/hi cabinets or more subwoofers. All models are also equipped with dB Technologies patented Digipack light weight amplifier modules. Many of the models in the range (28D / 12D / 05D / and 808D) benefit from dB Technologies HET cabinets, which are constructed of premium quality plywood coated in a hardwearing, durable, and scratch resistant finish. While robust plastic side panels provide outstanding protection for the cabinet, as will as having integrated handles for easy transportation.

Product Code	Description	UK List (Ex VAT)
SUB 28D	Active Bandpass Subwoofer 2x8" woofer , 400W , Class D Digipack , 45Hz - 150Hz , max SPL 125 dB , 24 bit DSP with stereo X-Over, Dimensions: 290x520x505, Weight: 19.5 Kg	£569.00
SUB 12D	Active 12" Bandpass-Subwoofer, 400 W RMS digipack, 24-Bit DSP incl. 2 switchable Presets and active Stereo X-Over incl. switchable. cut-off freq., 127dB max. SPL, Dimensions: 390x515x500, Weight 19kg	£599.00
SUB 05D	Active 15" Bandpass-Subwoofer, 400 W RMS digipack, 24-Bit DSP incl. 2 switchable Presets and active Stereo X-Over incl. Switchable cut-off freq., 129dB max. SPL, Dimensions: 490x515x610, Weight 27kg	£649.00
SUB 808D	Active 18" Bandpass Subwoofer, 800W, Class D Digipack, 30Hz - 140Hz , max SPL 130 dB , 24 bit DSP with stereo X-Over, Dimentions: 640x520x615, Weight: 34.8 kg	£749.00
SUB 15D	Selfpowered 15" Subwoofer with integrated 800W RMS digipro™ digital power amp, plywood-bandpass housing, integrated active X-Over with switchable crossover frequency 90/120Hz, max SPL133 dB, 35-120Hz, Dimensions: 436x600x600mm, weight 31 kg / 68.4lbs	£999.00
SUB 18D	Selfpowered 18" subwoofer with integrated 1,000 W RMS digipro™ digital power amp, plywood-bandpass housing, integrated active X-Over with switchable crossover frequency 90/120Hz, max SPL133 dB, 35-120Hz, Dimensions: 530x700x600mm, weight 38 kg / 83.7lbs	£1,299.00
SUB 15H	Selfpowered 15" Subwoofer with integrated 1,000W RMS digipro™ digital power amp, plywood-hybrid horn loading, X-Over frequency selection, Delay switch up to 4.5ms, Phase inversion switch, Outputs mode switch (Link/X-over) max SPL133 dB, 35-150Hz, Dimensions: 524x511x695mm, weight 31.5 kg / 69.4lbs	£999.00
SUB 18H	Selfpowered 15" Subwoofer with integrated 1,500W RMS digipro™ digital power amp, plywood-hybrid horn loading, X-Over frequency selection, Delay switch up to 4.5ms, Phase inversion switch, Outputs mode switch (Link/X-over) max SPL134 dB, 28-150Hz, Dimensions: 524x711x695mm, weight 41.4 kg / 91.3lbs	£1,299.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

dB Technologies

DVX 8HP

DVX 10HP

DVX 12HP

DVX DM28

DVX DM15

DVX Series

Product Code	Description	UK List (Ex VAT)
DVX 8HP	2-way Active Speaker with 8" woofer 2"VC,400W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, SPL peak 125 dB, Dimensions: 250x425x260mm, weight 11.5 kg / 25.3 lbs.	£849.00
DVX 10HP	2-way Active Speaker with 10"woofer 2,5"VC, 600W/ RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, SPL peak 127 dB, Dimensions: 290x510x310mm, Weight :14 Kg / 30.8 lbs.	£999.00
DVX 12HP	2-way Active Speaker with 12"woofer 3"VC, 700W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, SPL peak 131 dB, Dimensions: 370x395x625mm, Weight : 25 kg / 55 lbs.	£1,399.00
DVX 15HP	2-way Active Speaker with 15"woofer 3,5"VC, 700W/ RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, SPL peak 132 dB, Dimensions: 430x690x450mm, Weight : 28 kg / 61.6 lbs.	£1,499.00
DVX DM28	2-way stage monitor, 2 x 8" RCF neodymium woofers with 2,5"VC, 1 x 1" neodymium HF-driver with 1,75"VC, asymmetrical CD-Horn (30°+ 45°v), 750W/RMS , 70Hz-20kHz, SPL max. 130dB, Dimensions 480x265x418mm, weight 14 kg / 30.8 lbs	£1,399.00
DVX DM12	2-way stage monitor, 1 x 12" RCF neodymium woofer with 3"VC, 1 x 1,4" neodymium CD-driver with 2,5"VC, CD-Horn (40°+ 90°), 750W/RMS , 55Hz-20KHz, SPL max. 131dB, weight 17.5 kg/ 38.5 lbs	£1,699.00
DVX DM15	2-way stage monitor, 1 x 15" RCF neodymium woofer with 3"VC, 1 x 1,4" neodymium CD-driver with 2,5"VC, CD-Horn (40°+ 60°), 750W/RMS 55Hz-20kHz, SPL max. 132dB, weight 17.5 kg / 38.5 lbs	£1,799.00
DVX DM12 TH	2-way stage monitor, 1 x 12" neodymium woofer with 4"VC, 1 x 1,4" neodymium CD-driver with 3"VC, CD-Horn (40°+ 90°), 1500W/RMS , 59Hz-18KHz, SPL max. 136dB, weight 24.5 kg/ 54 lbs	£2,499.00
DVX DM15 TH	2-way stage monitor, 1 x 15" neodymium woofer with 4"VC, 1 x 1,4" neodymium CD-driver with 3"VC, CD-Horn (40°+ 90°), 1500W/RMS 47Hz-18kHz, SPL max. 131dB, weight 28.5 kg / 62.8 lbs	£2,699.00

dBTechnologies

DVA - Line Array Modules

DVA T4 & DVA S09 Array

DVA M2M +M2S

Product Code	Description	UK List (Ex VAT)
♦DVA T12	Three-Way Self Powered Line Array Element, 60Hz-19kHz (Single Cabinet), Max output 136dB SPL, LF: 1 x 12"; MF: 2 x 6.5"; HF: 3 x 1", Amplification DigiPro G2®: HF: 350W, MF: 350W, LF: 710W, 24 Bit / 96kHz AD/DA Convertion, 8 system presets, Full system control via RDNet, Integral rigging hardware, 100°H x 10°H, 29.9kg. Available in black or white.	£3,699.00
♦DVA T8	Three-Way Self Powered Line Array Element, 66Hz-18kHz (Single Cabinet), Max output 132dB SPL, LF: 1 x 8"; MF: 1 x 6.5"; HF: 2 x 1", Amplification DigiPro G2®: HF: 175W, MF: 175W, LF: 350W, 24 Bit / 96kHz AD/DA Convertion, 9 system presets, Full system control via RDNet, Integral rigging hardware, 100°H x 15°H, 14.2kg. Available in black.	£2,299.00
DVA T4	Three-Way Self Powered Line Array Element, 80Hz-19kHz (Single Cabinet), Max output 128dB SPL, LF: 1 x 8"; MF: 1 x 6.5"; HF: 2 x 1", Amplification DigiPro®: HF: 100W, MF: 100W, LF: 220W, 24 Bit / 48kHz AD/DA Convertion, 8 system presets, Integral rigging hardware, 100°H x 15°H, 13.8kg. Available in black or white.	£1,499.00
DVA M2M+M2S	Two-Way Self Powered Line Array Element (M2M), Two-Way Passive Line Array Element, 80Hz-19kHz (Single Cabinet), Max output 129dB SPL (for an M2M+M2S), LF: 2 x 6.5"; HF: 2 x 1", Amplification DigiPro® G3: HF: 2 x 100W, LF: 2 x 100W, 24 Bit / 48kHz AD/DA Convertion, 8 system presets, Integral rigging hardware, 100°H x 15°H, DVA M2M - 7.6kg, DVA M2S - 7.1kg. Sold and priced as two line array modules (1 x M2M and 1 x M2S) Available in black or white.	£1,499.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

dBTechnologies

DVA - Subwoofers

DVA S30

DVA S2585

DVA S20

DVA S10

DVA MS12

Product Code	Description	UK List (Ex VAT)
♦DVA S30	Self Powered 2 x 18" Bass Reflex / Horn Subwoofer, Integral 3,000W DigiPro G2® amplifier module, 30Hz - 120Hz, Max Output 141 dB, 24 Bit / 48 kHz AD / DA convertion, RDNet control and monitoring, Optional delay module, 83kg.	£4,199.00
♦DVA S1521	Self Powered 1 x 21" Bass Reflex Subwoofer, Integral 1,500W DigiPro G2® amplifier module, 30Hz - 105Hz, Max Output 139 dB, 24 Bit / 96 kHz AD / DA convertion, RDNet control and monitoring, Optional delay module, 52.5kg.	£3,999.00
♦DVA S1518	Self Powered 1 x 18" Band-Pass Subwoofer, Integral 1,500W DigiPro G2® amplifier module, 39Hz - 120Hz, Max Output 138 dB, 24 Bit / 96 kHz AD / DA convertion, RDNet control and monitoring, Optional delay module, 46kg.	£3,499.00
♦DVA S2585	Self Powered Cardiod 1 x 18" / 1 x 15" Subwoofer, Integral 2,500W DigiPro G2® amplifier module, 35Hz - 120Hz, Max Output 140 dB, 24 Bit / 96 kHz AD / DA convertion, RDNet control and monitoring, Optional delay module, 65kg.	£5,199.00
DVA S20	Self Powered 2 x 18" Bass Reflex Subwoofer, Integral 2,000W DigiPro® amplifier module, 35Hz - 120Hz, Max Output 138 dB, Optional delay module, 84kg.	£3,199.00
DVA S10	Self Powered 1 x 18" Band-Pass Subwoofer, Integral 1,000W DigiPro® amplifier module, 40Hz - 120Hz, Max Output 136 dB, Optional delay module, 48kg.	£1,999.00
DVA S09	Self Powered 1 x 15" Band-Pass Subwoofer, Integral 1,000W DigiPro® amplifier module, 45Hz - 120Hz, Max Output 134 dB, 37.5kg.	£1,549.00
DVA S08	Self Powered 1 x 12" Bass Reflex Subwoofer, Integral 800W DigiPro® amplifier module, 40Hz - 150Hz, Max Output 131 dB, 23kg.	£1,299.00
DVA MS12	Self Powered, Flyable, 1 x 12" Bass Reflex Subwoofer, Integral 700W DigiPro® amplifier module, 45Hz - 140Hz, Max Output 131 dB, 26.5kg.	£1,299.00

AC26N - Digital Audio Controller

Product Code	Description	UK List (Ex VAT)
AC26N	2 in / 6 Out DSP, 2x XLR inputs, 6x XLR outputs, 2 ch AES/EBU digital input with SRC (XLR), 2 ch AES/EBU digital ouputs (XLR), RDNet Hardware Interface, USB Interface, Remotable via RDNet or USB, matrix, 12 Double Precision PEQs filters for each I/O, Dynamic Range Control for each I/O (Compressor, Limiter, Noise gate), Crossover (HPF/LPF 12/24/48dB slope), Delay up to 340mS (or 100m) at 48Khz for each output, Gain / mute audio controls for each I/O, 32 user defined presets.	£679.00

dBTechnologies

Mini BOX Accessories

Product Code	Description	UK List (Ex VAT)
WB 03	Wall Bracket for MINI BOX loudspeakers.	£35.00
SN 120	Stand mount adaptor allowing MINI BOX loudspeker to be mounted on a 35mm speaker stand.	£44.00
SN 130	Stand mount adaptor allowing MINI BOX loudspeker to be mounted on a microphone stand.	£44.00

CROMO + Accessories

Product Code	Description	UK List (Ex VAT)
TC CR08	Transport cover for the Cromo 8+	£39.00
TC CR10	Transport cover for the Cromo 10+	£45.00
TC CR12	Transport cover for the Cromo 12 CLUB and Cromo 12+	£47.00
TC CR15	Transport cover for the Cromo 15+	£49.00

OPERA DX Accessories

Product Code	Description	UK List (Ex VAT)
TT OP08	Transport cover for the Opera 508DX	£39.00
TT OP10	Transport cover for the Opera 510 / 710 / 910DX	£45.00
TT OP25	Transport cover for the Opera 512 / 712 / 912 / 515 / 715 / 915DX	£49.00
WB D10	Wall bracket for the Opera 510 / 710 / 910DX	£65.00
WB D25	Wall bracket for the Opera 712 / 715 / 912 / 915DX	£69.00

FLEXSYS Accessories

Product Code	Description	UK List (Ex VAT)
TC F08	Transport cover for the Flexsys F8	£44.00
TC F10	Transport cover for the Flexsys F10	£47.00
TC F12	Transport cover for the Flexsys F12	£49.00
TC F15	Transport cover for the Flexsys F15	£52.00
TC F212	Transport cover for the Flexsys F212	£109.00
TC F315	Transport cover for the Flexsys F315	£119.00
TE M8	4 x M8 eybolts for Flexsys F8 / F10	£25.00
TE M10	4 x M10 eybolts for Flexsys F12 / F15 / F212 / F315	£25.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

dB Technologies

SUB Series Accessories

Product Code	Description	UK List (Ex VAT)
TC S28D	Transport cover for the SUB 28D	£59.00
TC S12D	Transport cover for the SUB 12D	£65.00
TC S05D	Transport cover for the SUB 05D	£69.00
TC S808D	Transport cover for the SUB 808D	£79.00
TC S15D	Transport cover for the SUB 15D	£69.00
TC S18D	Transport cover for the SUB 18D	£79.00
SWK-18	4 x 100mm Wheels for the SUB 18D	£79.00
DS-1	35mm speaker pole for the SUB 12D, 05D - height adjustable	£54.00
DS-2	Speaker pole with M20 thread for SUB 15D and SUB 18D	£54.00

DVX Accessories

Product Code	Description	UK List (Ex VAT)
TC8 ♦	Transport cover for the DVX 8HP	£49.00
TC10 ♦	Transport cover for the DVX 10HP	£52.00
TC12 ♦	Transport cover for the DVX 12HP	£55.00
TC15 ♦	Transport cover for the DVX 15HP	£59.00
TC28M ♦	Transport cover for the DVX DM28	£55.00
TC12M ♦	Transport cover for the DVX DM12	£55.00
TC15M ♦	Transport cover for the DVX DM15	£59.00
TE M8 ♦	4 x M10 eybolts for the DVX 8HP & 10HP	£25.00
TE M10 ♦	4 x M10 eybolts for the DVX 12HP & 15HP	£25.00
DTF 8 ♦	Easy mount bracket for DVX 8HP, inc. 2 x quick release pins	£189.00
DTF 10 ♦	Easy mount bracket for DVX 10HP, inc. 2 x quick release pins	£199.00
DTF 12 ♦	Easy mount bracket for DVX 12HP, inc. 2 x quick release pins	£269.00
DTF 15 ♦	Easy mount bracket for DVX 15HP, inc. 2 x quick release pins	£279.00
QL Pin ♦	Quick release pin for DVA T4 and all DVX models	£24.00

DVA - Accessories

Product Code	Description	UK List (Ex VAT)
RDNet Control 2	RDNet Controller for 2 lines of upto 32 speakers per line.	£399.00
AC26N	2 in / 6 out Audio Processor, RDNet hardware interface, USB interface, remote controlable via RDNet or USB, DSP processing 28/56 Bit / 48kHz, 24 Bit / 96kHz AD / DA conversion.	£679.00
SDD Delay	Delay module for DVA S20 and DVA S10.	£239.00
RDC-4545	RDNet cable to interlink loudspeakers data connection, 70cm.	£79.00

dBTechnologies

DVA - Accessories

Product Code	Description	UK List (Ex VAT)
RDC-45M	RDNet cable RJ45-XLR-M, converts data signal to male XLR, 6cm.	£79.00
RDC-45F	RDNet cable RJ45-XLR-M, converts data signal to female XLR, 6cm.	£79.00
DCK-27	70cm Cable set - 2 x Powercon, 2 x XLR M/F	£199.00
DCK-45	Cable set for 4 x DVA T4 - 1 x 10m Powercon, 3 x Powercon Slave (0.5m) and 3 x XLR Patch Cable.	£239.00
DCK-15	Cable set for 1 x DVA T4 containing 1 x Powercon (0.5m) patch cable and 1 x (0.5m) XLR patch cable.	£79.00
DRK-20	Rigging kit for upto 24 x DVA T12.	£1,099.00
DRK-HK	Additional hook for DRK-20, plus 2 pins.	£49.00
DRK-10	Rigging kit for upto 10 x DVA T4, available in black or white.	£899.00
DSA-T4	Adaptor to stand mount 3 x DVA T4.	£459.00
DWB-3	Wall mount adaptor for 3 x DVA T4 in fixed installations, available in black or white.	£429.00
SRK 10	Fly hardware set for upto 2 x DVA S10 and 8 x DVA T4 on one DRK-10.	£429.00
SRK 09	Fly hardware set for upto 1 x DVA S09 and 8 x DVA T4 on one DRK-10, available in black or white.	£399.00
QL Pin	Quick release pin for DVA T4 and DTF brackets.	£24.00
DRK-M5	Rigging kit for DVA M2M+M2S	£519.00
DSA-M2	Pole Mount Adaptor for DVS M2M+M2S	£299.00
DRL-45	Rigging lift for DVA line array modules, Max height 4.5m, Max load 300kg.	£3,999.00
DS-2	Adjustable pole mount, with M20 thread.	£49.00
TC 09S	Cover for the DVA S09 Subwoofer.	£79.00
TC 10S	Cover for the DVA S10 Subwoofer.	£99.00
TC 18S	Cover for the DVA S1518 Subwoofer.	£109.00
TC 20S	Cover for the DVA S20 Subwoofer.	£109.00
TC 30S	Cover for the DVA S30 Subwoofer.	£109.00
DT-6	Metal trolley for upro 6 x DVA T4 and 1 x DRK-10	£509.00
DWK-20	4 x Blue wheels for DVA S20 or DT-6	£109.00
DO-218	Dolly for DVA S30 (including wheels).	£429.00
DO-18	Dolly for S1518, S2585 (including wheels).	£429.00
DVA-Case	Flightcase for 4 x DVA-T4 and 1 x DRK-10.	£1,299.00
DRP	Raincover for DVA T4.	£79.00
TCA 30S	Raincover for DVA S30 amplifier.	£49.00
TCA 15S	Raincover for DVA S1518, S1521, and S2585 amplifiers.	£49.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

FURMAN

Merit X Series - Power Conditioners

	Product Code	Description	UK List (Ex VAT)
M-10x E	**M-10x E**	The M-10x E is a 10A power conditioner with a total of 11 outlets. The M-10x E offers standard level surge suppression, standard level EMI/RFI filtration, an LED protection OK indicator, and a robust steel chassis. 3 year warranty.	£99.00
M-10Lx E	**M-10Lx E**	The M-10Lx E is a 10A power conditioner with a total of 11 outlets. The M-10x E offers standard level surge suppression, standard level EMI/RFI filtration, an LED protection OK indicator, front panel retractable lights with a front panel mounted dimmer control, and a robust steel chassis. 3 year warranty.	£139.00
Rear Panel (Both Models)			

Classic Series - Power Conditioners

	Product Code	Description	UK List (Ex VAT)
PL-8C E	**PL-8C E**	The PL-8C E is a 10A power conditioner with a total of 11 outlets. The PL-8C E offers SMP surge protection, EVS voltage protection, linear filtering technology, front mounted pull out LED lights, rear panel BNC connector for a gooseneck lamp, isolated rear panel outlet banks, diagnosis lights, and a robust steel chassis. 5 year warranty.	£255.00
PL-PLUS C E	**PL-PLUS C E**	The PL-PLUS C E is a 10A power conditioner with a total of 11 outlets. The PL-8C E offers SMP surge protection, EVS voltage protection, linear filtering technology, front mounted pull out LED lights, rear panel BNC connector for a gooseneck lamp, isolated rear panel outlet banks, diagnosis lights, front panel LED voltmeter, and a robust steel chassis. 5 year warranty.	£338.00
PL-PRO DMC E	**PL-PRO DMC E**	The **PL-PRO DMC E** is a 16A power conditioner with a total of 11 outlets. The **PL-PRO DMC E** offers SMP surge protection, EVS voltage protection, linear filtering technology, front mounted pull out LED lights, rear panel BNC connector for a gooseneck lamp, isolated rear panel outlet banks, diagnosis lights, front panel voltage and current meter, USB charger, and a robust steel chassis. 5 year warranty.	£515.00

Compact Power Conditioner

	Product Code	Description	UK List (Ex VAT)
AC-210A E	**AC-210A E**	The AC-210A E is a 10A compact power conditioner ideal for flat panel screens, projectors, or anywhere advanced power conditioning is needed for equipment away from the main equipment, with 11 outlets, SMP surge protection, EVS voltage protection, linear filtering technology, diagnosis lights, and a robust steel chassis. 3 year warranty.	£180.00

Prestige Series - Voltage Regulator / Power Conditioners

	Product Code	Description	UK List (Ex VAT)
P-1400 AR E	P-1400 AR E	The P-1400 AR E is an advanced 6A voltage regulator and power conditioner with a total of 11 outlets. The P-1400 AR E offers SMP surge protection, EVS voltage protection, linear filtering technology, True RMS voltage regulation, rear panel BNC connector for a gooseneck lamp, isolated rear panel outlet banks, diagnosis lights, USB charger, dual voltage / current meter, and a robust steel chassis. 5 year warranty.	£1,232.00
P-6900 AR E	P-6900 AR E	The P-6900 AR E is an advanced 30A voltage regulator and power conditioner with a total of 11 outlets. The P-6900 AR E offers SMP surge protection, EVS voltage protection, linear filtering technology, True RMS voltage regulation, rear panel BNC connector for a gooseneck lamp, isolated rear panel outlet banks, diagnosis lights, USB charger, dual voltage / current meter, and a robust steel chassis. 5 year warranty.	£3,082.00

Balanced Power Conditioner

	Product Code	Description	UK List (Ex VAT)
P-2300 IT E	P-2300 IT E	The P-2300 IT E is a 10A balanced power conditioner to provide 100% isolation from the grid. This makes it ideal for low noise applications. With 14 outlets, SMP surge protection, EVS voltage protection, linear filtering technology, symetrically balanced power, diagnosis lights, isolated outlet banks, dual voltage and current meter, and a robust steel chassis. 5 year warranty.	£2,830.00

Smart Sequencer / Conditioner

	Product Code	Description	UK List (Ex VAT)
CN-3600 SE	CN-3600 SE	The CN-3600 SE is an advanced 16A power sequencer and power conditioner with a total of 9 outlets. The CN-3600 SE offers SMP surge protection, EVS voltage protection, linear filtering technology, True RMS voltage regulation, diagnosis lights, USB charger, Smart Sequencing which is bidirectional communication between all units ensuring multi zone electronic systems are powered on/off safely and dependably from a single point, RS232 control for direct integration with control systems, Optional BlueBOLT, 5 year warranty.	£549.00
	BB-RS232	The BlueBOLT RS232 adaptor allows the CN-3600 SE to be controlled, programmed and monitored using a smart phone, tablet or laptop via Furman's new hosted remote power and energy platform - BlueBOLT.	£195.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

FURMAN

Sequencer / Power Conditioner

PS-8R E III

Product Code	Description	UK List (Ex VAT)
PS-8R E III	The PS-8R E III is a 10A advanced power sequencer / power conditioner with a total of 9 outlets. The PS-8R E III offers SMP surge protection, EVS voltage protection, linear filtering technology, rear panel BNC connector for a gooseneck lamp, isolated rear panel outlet banks, diagnosis lights, and a robust steel chassis. 3 year warranty.	£370.00

Battery Backup and Power Conditioner

PL-8C E

Product Code	Description	UK List (Ex VAT)
F1500-UPS E	The F1500-UPS E is a 1500VA battery backup that allows orderly shutdown in the event of a power outage. It offers SMP surge protection, EVS voltage protection, linear filtering technology, Dual Learning IR Blasters allow safe shutdown of remote components, RS-232 Interface provides custom open source programming and control, USB Interface, Critical Load Management, AVR voltage regulation provides a consistent voltage output, BlueBOLT® technology (with optional TCP/IP card, sold separately) provides remote control to reboot components, power equipment on or off, and monitor power quality from anywhere in the world. 5 year warranty.	£1,349.00
BATT1400-EXT	UPS battery extension pack	£629.00
BlueBOLT IP Card	Allows the F1500-UPS E to connect to the Furman BlueBOLT plateform for remote control and monitoring.	£195.00
BC-1500	Replacement battery pack for the F1500-UPS E.	£249.00

Accessories

Product Code	Description	UK List (Ex VAT)
GN-LED	12V BNC LED gooseneck work light.	£49.00
GN-I	12V BNC incandescent gooseneck work light.	£34.00
UK-10	AC Cord UK-M to IEC-F 10A	£19.00
UK-16	AC Cord UK-M to IEC-F 16A	£35.00
12006-347	7W, 230V ,Clear Light Bulb	£2.20
12003-398	5W, 230V, Clear ight Bulb	£2.20

Mantas

Mantas (Front)

Mantas (Rear)

Product Code	Description	UK List (Ex VAT)
♦Mantas	Three-Way Line Array Element, 90Hz-18kHz (Single Cabinet), Max output 123dB SPL LF, 128dB SPL HF, LF / MF: 2 x 8"; HF: 1 x 3" D.P.R.W.G., LF/MF: 8 Ohms, HF: 8 Ohms, LF/MF: 400W Cont, HF: 110W Cont, 120°H, Vertical depending on array configuration, 24kg.	£2,999.00

Mantas - Accessories

Product Code	Description	UK List (Ex VAT)
♦MAIN-FRAME	Flygrid for Butterfly and Mantas to fly upto 32 cabinets.	£1,599.00
♦EXTENSION-FRAME	Front or rear extension frame for the MAIN-FRAME	£1,399.00
♦CABLA-MANTAS	2U, Rack distro unit, 3 pole 16A, 4 x NL4 connectors.	£1,899.00
♦F-CASE MANTAS-2P	Flight case for 2 x Mantas.	£999.00
♦F-CASE MANTAS-3P	Flight case for 3 x Mantas	£1,149.00
♦AMPRACK	12U, amp rack, dual door, wheels including mounting and internal wiring.	£1,499.00
♦FC-2 FRM BFLY	Case to house 2 x MAIN-FRAME and all mechanical parts, including 8 draws.	£3,499.00
♦V 530 A/B	Butterfly / Mantas splay connecting bars starting at 0°, in 0.5° steps.	£89.00
♦V 531	Butterfly / Mantas side connecting bar.	£89.00
♦V 552/53	Butterfly / Mantas side connecting bar with 2 position anchor shackle for pull back.	£109.00
♦V 554 A/B	Butterfly / Mantas splay connecting bars starting at 0.25°, in 0.5° steps.	£89.00
♦V 556	Butterfly / Mantas main frame side connecting bar.	£89.00
♦V 861	Mantas main frame rear connecting bar.	£119.00
♦V 616	Butterfly / Mantas adjustable support foot to tilt the main frame in a stacked array arrangement.	£119.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

MINI COM.P.A.S.S. iSP

FLYSUB 15 iSP

MINI COM.P.A.S.S. iSP

Product Code	Description	UK List (Ex VAT)
♦**MINI COM.P.A.S.S. iSP**	2-Way Self Powered Line Array Element, 100Hz-20kHz (Single Cabinet), Max output 120dB SPL, LF / MF: 4 x 5"; HF: 2 x 1.75" D.P.R.W.G., 192kHz, 24 bit A/D and D/A conversion, analogue and digital (AES/EBU) I/O, integrat 2 port switch, integral 2 x 500W amplifier modules, Outline iMode DSP, variable horizontal pattern (500Hz - 10kHz) 58 - 138°H, Vertical depending on array configuration, iPad control, 23kg.	£4,499.00
♦**FLYSUB 15 iSP**	15" self powered bass reflex subwoofer, 35Hz - 550Hz, Max output 130dB, 192kHz, 24 bit A/D and D/A conversion, analogue and digital (AES/EBU) I/O, integrat 2 port switch, integral 1,000W amplifier module, Outline iMode DSP, iPad control, 45kg.	£3,299.00

MINI COM.P.A.S.S. iSP - Accessories

Product Code	Description	UK List (Ex VAT)
♦**FRM MCMPSS L**	MINI COM.P.A.S.S. flygrid for upto 12 MINI COM.P.A.S.S. modules.	£1,349.00
♦**FOOT 01**	Pair of adjustable feet for ground stacking.	£249.00
♦**FCM COMP 4PM**	Flight case for 4 MINI COM.P.A.S.S. modules.	£1,499.00
♦**SCAP-FLYSUB 15**	Water resistant cover for FLYSUB 15 iSP	£459.00
♦**TROLLEY XIV**	4 wheeled trolley for FLYSUB 15 iSP	£249.00

EIDOS 265

EIDOS 265

FLYSUB 15

Product Code	Description	UK List (Ex VAT)
EIDOS 265	Small Format 2-Way Line Array Element, 63Hz-20kHz (Single Cabinet), Max output 122dB SPL, LF: 2 x 6.5"; HF: 1 x 1.4", 500W Cont, 8 Ohm, Horizontal 100°, Vertical depending on array configuration, 21kg.	£1,799.00
FLYSUB 15	15" bass reflex subwoofer, 35Hz - 550Hz, Max output 130dB, 8 ohm, 500W, integral fly hardware, 43kg.	£1,799.00

EIDOS 265 - Accessories

Product Code	Description	UK List (Ex VAT)
FRM MCMPSS L	EIDOS 265 Flygrid for upto 12 x EIDOS 265 elements and 3 x FLYSUB 15.	£1,349.00
V 981	Frame connecting bars.	£45.00
FOOT 01	A pair of adjustable feet for ground stacking.	£249.00
AMPRACK - EIDOS	4U amprack, dual door, including internal mounting and inner wiring.	£769.00
CABLA-EIDOS	EIDOS 2U mater rack input box, 1 x 16A and bipolar megneto-thermal switch, 1+1 XLR input, 1 x XLR AES/EBU, 4 Speakon connectors, complete signal wiring.	£849.00
SCAP-FLYSUB15	Water resistant cover for the FLYSUB 15.	£459.00
FCM 265 LA4P	Flight case for 4 x EIDOS 265 modules.	£1,449.00
TROLLEY XIV	4 wheeled trolley for the FLYSUB 15.	£249.00

iP24 - iMode DSP

Product Code	Description	UK List (Ex VAT)
iP 24	2 in / 4 out iMODE DSP, control of Gain, Mute, Polarity, Delay, Filters, Limiter (Peak), Compressor (RMS with variable knee), inputs: analogue/AES3 digital (two channels with possibility of selection), output: analogue/AES3 digital (four channels with possibility of selection), Input Sensitivity: +10dBu/+20dBu, 2-IN/4-OUT matrix configurable, 2 GPI - General Purpose Input, 2 GPO - General Purpose Output configuration settings on a DB9 connector (with +5V and GND) that allows third party integration of alarm/fire systems, power control, mute, and fault notification to the external monitoring system, Control via Browser (Java Applet) or iOS and Mac OsX devices, Onboard Ethernet switch, RS485 for external device control protocol managed by software	£1,499.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

DVS Series - Passive

DVS 12P
DVS 15P
DVS 118SW

Product Code	Description	UK List (Ex VAT)
DVS 8P	Ultra Compact, Multi Purpose, Passive, 2 Way Loudspeaker, 48Hz - 18.5kHz, Max output 117dB SPL, 1 x 8" LF, 1 x 1" HF, 250W Cont, 8 Ohm, 77° x 30°, extremely linear frequency and phase response, 8kg.	£799.00
DVS 10P	Compact, Multi Purpose, Passive, 2 Way Loudspeaker, 48Hz - 18kHz, Max output 121dB SPL, 1 x 10" LF, 1 x 1.1" HF, 350W Cont, 8 Ohm, 81° x 56°, extremely linear frequency and phase response, 18kg.	£1,099.00
DVS 12P	Compact, Multi Purpose, Passive, 2 Way Loudspeaker, 44Hz - 20kHz, Max output 123dB SPL, 1 x 12" LF, 1 x 1.4" HF, 400W Cont, 8 Ohm, 77° x 30°, extremely linear frequency and phase response, 19.5kg.	£1,799.00
DVS 15P	Multi Purpose, Passive, 2 Way Loudspeaker, 43Hz - 20kHz, Max output 125dB SPL, 1 x 15" LF, 1 x 1.4" HF, 400W Cont, 8 Ohm, 80° x 36°, extremely linear frequency and phase response, 27.5kg.	£1,999.00
DVS 115SW	Subwoofer, Long throw 15"LF driver, 39Hz - 350Hz, Max Output 131 dB, 600W Cont, 8 Ohm, 22kg.	£1,299.00
DVS 118SW	Subwoofer, Long throw 18"LF driver, 26Hz - 500Hz, Max Output 132 dB, 700W Cont, 8 Ohm, 42kg.	£1,499.00

DVS Series - Active & iMode

DVS 8SP
DVS 10SP
DVS 115SW iSP

Product Code	Description	UK List (Ex VAT)
DVS 8SP	Ultra Compact, Multi Purpose, Self Powered (1 x 350W, 1 x 180W), 2 Way Loudspeaker, 48Hz - 18.5kHz, Max output 117dB SPL, 1 x 8" LF, 1 x 1" HF, 85° x 53°, 8kg.	£1,399.00
DVS 10SP	Compact, Multi Purpose, Self Powered (1x 350W, 1 x 180W), 2 Way Loudspeaker, 48Hz - 18kHz, Max output 121dB SPL, 1 x 10" LF, 1 x 1.1" HF, 85° x 80°, 17kg.	£1,699.00
♦DVS 12P iSP	Compact, Multi Purpose, Self Powered (2 x 750W), 2 Way Loudspeaker, 53Hz - 20kHz, Max output 123dB SPL, 1 x 12" LF, 1 x 1.4" HF, 94° x 73°, iMode DSP, iPad / iPhone control, 22.5kg.	£2,999.00
♦DVS 15P iSP	Compact, Multi Purpose, Self Powered (2 x 750W), 2 Way Loudspeaker, 46Hz - 20kHz, Max output 125dB SPL, 1 x 15" LF, 1 x 1.4" HF, 92° x 72°, iMode DSP, iPad / iPhone control, 28kg	£3,299.00
♦DVS 115SW iSP	Self Powered Subwoofer, Long throw 15"LF driver, 1,000W amplifier module, 39Hz - 147Hz, Max Output 131 dB, iMode DSP, iPad / iPhone control, 34kg.	£2,699.00
♦DVS 118SW iSP	Self Powered Subwoofer, Long throw 18"LF driver, 1,500W amplifier module, 26Hz - 118Hz, Max Output 132 dB, iMode DSP, iPad / iPhone control, 42kg.	£2,999.00

EIDOS Series

EIDOS Family

Product Code	Description	UK List (Ex VAT)
EIDOS 6	Compact, Multi Purpose, Passive, 2 Way Loudspeaker, 65Hz - 20kHz, Max output 117dB SPL, 1 x 6.5" LF, 1 x 1" HF, 200W Cont, 8 Ohm, 100° x 60°, 7.5kg.	£619.00
EIDOS 10	Compact, Multi Purpose, Passive, 2 Way Loudspeaker, 60Hz - 20kHz, Max output 120dB SPL, 1 x 10" LF, 1 x 1" HF, 250W Cont, 8 Ohm, 108° x 90°, 15.5kg.	£899.00
EIDOS 12	Multi Purpose, Passive, 2 Way Loudspeaker, 55Hz - 20kHz, Max output 121dB SPL, 1 x 12" LF, 1 x 1" HF, 300W Cont, 8 Ohm, 98° x 87°, 17.7kg.	£999.00
EIDOS 15	Multi Purpose, Passive, 2 Way Loudspeaker, 53Hz - 20kHz, Max output 122dB SPL, 1 x 15" LF, 1 x 1" HF, 400W Cont, 8 Ohm, 84° x 76°, 25.8kg.	£1,199.00
EIDOS X123W	Multi Purpose, Passive, 2 Way Coaxial Loudspeaker, 55Hz - 20kHz, Max output 126dB SPL, 1 x 12" LF, 1 x 3" HF, 600W Cont, 8 Ohm, 90° x 90°, 19.2kg.	£1,199.00
EIDOS 108S	Low Profile Subwoofer, 36Hz - 160Hz, Max output 119dB SPL, 1 x 8" LF, 200W Cont, 4 Ohm, 20.5kg.	£849.00
EIDOS 118S	Subwoofer, Dual Port Band-Pass, 18"LF driver, 32Hz - 240Hz, Max Output 131 dB, 1,000W Cont, 4 Ohm, 51.5kg.	£1,499.00
EIDOS 215S	Subwoofer, Direct Radiating, 2 x 15"LF drivers, 34Hz - 500Hz, Max Output 134 dB, 1,200W Cont, 4 Ohm, 54.4kg.	£1,599.00

Subwoofers

LAB 21HS

DBS 18-2

Product Code	Description	UK List (Ex VAT)
LAB 21HS	21" Infra Sub with hybrid waveguide indirect radiation system, high performance NEO 21" LF driver, 23Hz - 165Hz, Max output 141dB SPL, 2,000W Cont, 4 Ohm, 125kg.	£4,899.00
LAB 21HS SP	Self Powered 21" Infra Sub with hybrid waveguide indirect radiation system, high performance NEO 21" LF driver, 23Hz - 165Hz, Max output 141dB SPL, integral 8,500W amplifier module, 132kg.	£8,999.00
DBS 18-2 iSP	High Performance Hybrid Band-Pass Subwoofer, 28Hz-160Hz (Single Cabinet), Max output 135dB SPL, LF: 2 x 18", LF: integral 2 x 1,500W amplifier modules, iMode DSP, 101kg.	£5,399.00
DBS 18-2	High Performance Hybrid Band-Pass Subwoofer, 28Hz-160Hz (Single Cabinet), Max output 137dB SPL, LF: 2 x 18", LF: 2 x 8 Ohms, LF: 2 x 1,200W Cont, 92kg.	£3,299.00
DBS 18-2i	Installation version of the DBS-2 (No handles)	£2,399.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

MOVIE M1

MOVIE M3

MOVIE S118

MOVIE FX81

Movie Series

Product Code	Description	UK List (Ex VAT)
♦**MOVIE M1**	Full range system comprising of one B115 bass unit with an H081 horn mounted using the SMV1 bracket, 40Hz - 19kHz, Max output 131.5dB SPL, Bi-Amp or Tri-Amp Operation, 635 x 1140 x 490mm (WxHxD), 38kg.	£2,499.00
♦**MOVIE M2**	Full range system comprising of one B215 bass unit with an H081 horn mounted using the SMV1 bracket, 35Hz - 19kHz, Max output 131.5dB SPL, Bi-Amp or Tri-Amp Operation, 635 x 1645 x 490mm (WxHxD), 76kg.	£2,899.00
♦**MOVIE M3**	Full range system comprising of one B215 bass unit with an H120 horn mounted using the SMV1 bracket, 35Hz - 19kHz, Max output 134.5dB SPL, Bi-Amp or Tri-Amp Operation, 635 x 1645 x 490mm (WxHxD), 81kg.	£3,099.00
♦**MOVIE H081**	Two way Mid / Hi horn, comprising of 1 x 1", 1 x 8" coupled with a passive crossover, 200Hz - 19kHz, Max output 131.5dB SPL, 635 x 635 x 490mm (WxHxD), 17kg.	£1,599.00
♦**MOVIE H102**	Two way Mid / Hi horn, comprising of 1 x 2", 1 x 10" coupled with a passive crossover, 180Hz - 19kHz, Max output 134.5dB SPL, 635 x 635 x 490mm (WxHxD), 22kg.	£1,799.00
♦**MOVIE B115**	Ported bass unit, to be used in combinsation with H081 or H102, 1 x 15" LF, 40Hz - 1.2kHz, Max output 127.7dB SPL, 635 x 505 x 420mm (WxHxD), 21kg.	£749.00
♦**MOVIE B215**	Ported bass units, to be used in combinsation with H081 or H102, 2 x 15" LF, 35Hz - 1.2kHz, Max output 133.7dB SPL, 635 x 1019 x 420mm (WxHxD), 59kg.	£1,149.00
♦**MOVIE S118**	Ported Subwoofer, 1 x 18" LF, 28Hz - 250Hz, Max output 123dB SPL, 635 x 920 x 420mm (WxHxD), 43kg.	£899.00
♦**MOVIE S218**	Ported Subwoofer, 2 x 18" LF, 25Hz - 250Hz, Max output 123dB SPL, 790 x 1255 x 520mm (WxHxD), 85kg.	£1,399.00
♦**MOVIE FX81**	Surround sound loudspeaker, with 20 degree downward baffle angle, 1 x 8", 1 x 1", 55Hz - 18.5kHz, Max output 114.5dB SPL, 450x500x290mm (WxHxD), 11kg.	£389.00
♦**MOVIE FX101**	Surround sound loudspeaker, with 20 degree downward baffle angle, 1 x 10", 1 x 1", 1 x 10", 1 x 1", 55Hz - 19kHz, Max output 124dB SPL, 450x500x290mm (WxHxD), 16kg.	£659.00

Passive Column Loudspeakers

Product Code	Description	UK List (Ex VAT)
PB-8-15	15 x 2" full range drivers. 135 Hz - 18 kHz, 140° x 10° , 150W, 8 Ohms	£999.00

Digitally Steered Column Loudspeakers

PB-08

Product Code	Description	UK List (Ex VAT)
PB-04	4 x 3.5" full range drivers, 4 x 50W amplifier, 130° x 10°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 120 Hz -17 kHz operating range. 15m typical throw.	£2,099.00
PB-08	8 x 3.5" full range drivers, 8 x 50W amplifier, 130° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 70 Hz -17 kHz operating range. 25m typical throw.	£4,099.00
PB-16C	16 x 3.5" full range drivers, 16 x 25W amplifier, 130° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 70 Hz -17 kHz operating range. 35m typical throw.	£6,499.00
PB-16	16 x 3.5" full range drivers, 16 x 50W amplifier, 130° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 70 Hz -17 kHz operating range. 35m typical throw.	£8,999.00
PB-24	24 x 3.5" full range drivers, 24 x 50W amplifier, 130° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 70 Hz -17 kHz operating range. 70m typical throw.	£12,299.00
PB-32	32 x 3.5" full range drivers, 32 x 50W amplifier, 130° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 50 Hz -17 kHz operating range. 70m typical throw.	£15,399.00
PB-40	40 x 3.5" full range drivers, 40 x 50W amplifier, 130° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 50 Hz -17 kHz operating range. 70m typical throw.	£19,999.00
PB-224	6 x 6" LF, 18 x 1"HF, 10 x 60W, 6 x 100W amplifiers, 150° x 5°-40° (digitally variable) dispersion pattern, +/- 45° vertical aiming angle. 85 Hz -20 kHz operating range. 45m typical throw.	£6,599.00
PB-248	12 x 6" LF, 36 x 1" HF, 20 x 60W, 12 x 100W amplifiers, 150° x 5°-40° (digitally variable) dispersion pattern, +/- 45° vertical aiming angle. 85 Hz -20 kHz operating range. 50m typical throw.	£12,999.00

Subwoofers

Product Code	Description	UK List (Ex VAT)
PB-S208	2 x 8" LF, 600W amplifier, 42 Hz - 120 Hz	£2,199.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

PB-08-PPL

PL-CU

Power Line - Digitally Steered Column Loudspeakers

Product Code	Description	UK List (Ex VAT)
PB-04-PPL	4 x 3.5" full range drivers, 4 x 50W amplifier, 130° x 10°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 120 Hz -17 kHz operating range. 15m typical throw.	£2,099.00
PB-08-PPL	8 x 3.5" full range drivers, 8 x 50W amplifier, 130° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 70 Hz -17 kHz operating range. 25m typical throw.	£4,099.00
PL-CU	Central Controller for powerline systems. The central unit sends power, control data and audio down a two core cable to the steerable column loudspeakers (PB-04LL and PB-08LL). This revolutionary system allows self powered, steerable column loudspeakers to be installed on existing cabling from a 100V infrastructure. The PL-CU has 4 outputs for multiple zones or larger systems. Upto 2 x PB-08LL can be powered from each output.	£2,499.00

Dual Axis Digitally Steered Column Loudspeakers

Product Code	Description	UK List (Ex VAT)
PBA 64	64 x 2.1" speech range drivers, 16 x 80W amplifier, 100°-40° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 200 Hz -17 kHz operating range. 50m typical throw.	POA
PBA 128	128 x 2.1" speech range drivers, 32 x 80W amplifier, 100°-40° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 150 Hz -17 kHz operating range. 50m typical throw.	POA
PBA 192	192 x 2.1" speech range drivers, 48 x 80W amplifier, 100°-40° x 5°-40° (digitally variable) dispersion pattern, +/- 70° vertical aiming angle. 150 Hz -17 kHz operating range. 50m typical throw.	POA

Accessories

Product Code	Description	UK List (Ex VAT)
PanCon V3	USB to RS485 Convertor	£239.00
PanSplitter	RS485 Splitter	£699.00
PB08SM	35mm stand mount for PB-08	£139.00
PB224SM	35mm stand mount for PB-224	£159.00
PB08 Slider Set	3 x sliders for joining two PB-08	£29.00
PB08TWM	Wall mount with pan adjustment for PB-08	£39.00
PB224 Slider Set	4 x sliders for joining two PB-224	£79.00
PB224WMP	Wall mount plate for PB-224	£59.00
100V option	100V emergency input for Pan Beam loudspeakers	£189.00
48VDC option	48V emergency power option for Pan Beam loudspeakers	£399.00
24VDC option	24V emergency power option for Pan Beam loudspeakers	£449.00
Pilottone option	22 kHz pilot tone with contact closure output	£229.00
PBAMB option	Ambient sensing microphone option	£569.00
Powercon Option	Powercon input option for Pan Beam loudspeakers	£79.00

Custom Painting

Product Code	Description	UK List (Ex VAT)
Colour CPB04	Custom painting to RAL reference for PB-04	£99.00
Colour CPB08	Custom painting to RAL reference for PB-08	£179.00
Colour CPB224	Custom painting to RAL reference for PB-224	£439.00

Weather Protection

Product Code	Description	UK List (Ex VAT)
PB08 IP54	IP54 dust and water spray protection for PB-08	£219.00
PB08 IP65	IP65 dust and water jet protection for PB-08	£339.00
PB16 IP54	IP54 dust and water spray protection for PB-16	£439.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Pivitec - Personal Monitoring System

	Product Code	Description	UK List (Ex VAT)
e32	**e32**	**Personal Mixer** - 32-channel Ethernet AVB "Listener" endpoint used to build a stereo mix from upto 32 channel of network audio sources. The e32 features a high output headphone amp, loud enough to work in high SPL stage environments, as well as stereo line outputs for driving other devices such as wireless IEM's, power amps, or powered speakers. The built in DSP provides 3 band EQ and a limiter on the master outputs.	£699.00
e16i	**e16i**	**16 Channel Analogue Input Module** - 16-channel Ethernet AVB "Talker" endpoint used to convert signals from analogue sources such as mixing consoles, pri pre amps, instruments, and any other line level source. The 16 balance line level input channels are converted to 24 Bit / 48kHz digital audio and sent to the audio network as a 16 channel AVB stream and is selectable +4 / -10 dB signal level and features 22dBu of input headroom.	£1,099.00
e16i/o-MY	**e16i/o-MY**	**16 channel MY Card** - Bi-directional, 16 channel mini-YGDAI card for Yamaha consoles and networks.	£749.00
	e16i-ADAT	**16 channel ADAT module** - 16 channel ADAT conversion module. Converts 16 channels of ADAT to Ethernet AVB.	£1,199.00
	e64i/o-MADI	**64 channel MADI to AVB network interface** - 64 channel bi-directional conversion, 24-Bit / 48K, power via 48vdc PoE or wall adaptor, rack mountable (kit sold separately).	£999.00
	e64i/0-CM2	**64 channel CM2 AVB network interface card** - Pivitec AVB / CM2 interface card for MIDAS, can be used with Klark Teknik KT9650 / KT9652, 64 channels / 24 Bit / 48k, requires use of ethernet AVB network switch.	£2,099.00

Pivitec - Personal Monitoring System

e09SW-P

Product Code	Description	UK List (Ex VAT)
e09SW-P	**9 Port GbE POE Switch** - 9 port L2+ managed 10/100 switch that supports PoE on 8 ports. In addition to the 8 PoE ports the e09SW-P provides one Gigabit UTP/SFP Combo port. The e09SW-P can power upto 7 x e32 mixers simultaneouslyin a 16 channel system (6 x e32 mixers in a 32 channel system). providing one port for the connection of an e16i and one port for network devices such as a wireless access point.	£699.00
e2416SW-P	**24 port 10/100 220W PoE Switch Module** - equipped with 24 10/100 PoE ports and 4 EbE UTP/SFP ports, 220 Watt total PoE power, Powers upto 16 e32 personal mixers.	£749.00
e2424SW-P	**24 port 10/100 380W PoE Switch Module** - equipped with 24 10/100 PoE ports and 2 EbE UTP/SFP ports, 380 Watt total PoE power, Powers upto 24 e32 personal mixers.	£1,049.00
X440-8P	**X440-8P AVB** - 8 10/100/100 PoE Ports and 4 SFP ports, AVB license pack installed. Required for use with Pivitec e54i/o-CM2 and Avid S3L consoles.	£2,199.00
X440-24P	**X440-24P AVB** - 24 10/100/100 PoE Ports and 4 SFP ports, AVB license pack installed. Required for use with Pivitec e54i/o-CM2 and Avid S3L consoles.	£2,799.00
eRack Kit	1U rack kit for e32 or e16i-ADAT (mounts 3 units).	£279.00
eRack Kit Cradle	Cradle & bracket to install 1 x e32 or e16i-ADAT in the rack kit.	£27.00
eRack Kit Panel	Front and back panels to cover empty rack slots (required).	£16.00
e32 MSB	Mic stand hanging bracker for e32 and e16i-ADAT.	£12.00
V2 Mix Pro®	Mixing App for iOS devices.	F.O.C

iPad Screen Shot

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Pivitec - Applications

Application Diagram: *Wireless In-Ear Monitors*


1. Connect Audio sources to e16i
2. Connect Network Audio to e10SW-P
3. Connect e32 Mixers to e10SW-P
4. Connect Wireless Access Point to e10SW-P
5. Connect e32 Line outs to Wireless Transmitter
6. Wireless Control from iPad, iPhone, iPod touch
A
B
C
D

Application Diagram: *Basic 16-Channel Personal Monitor Mix - Yamaha Digital Console*

1. Install e16ioMY into open slot on console
2. Connect Network Audio to e10SW-P
3. Connect e32 Mixers to e10SW-P
4. Connect Wireless Access Point to e10SW-P
5. Wireless Control from iPad, iPhone, iPod touch

T: 0141 440 5333
F: 0141 440 1119
E: sales@cuk-audio.com
www.cuk-audio.com

X Series

Product Code	Description	UK List (Ex VAT)
♦**X8 Dante**	8 x 5,200W (2 Ohms), 8 x 3,000W (4 Ohms), 2U Chassis, Dante® enabled, DSP based on ARM Cortex A-8 processor and TI C6000 DSP platform delivers 127dB of dynamic range and results in a new and innovative level of signal processing, providing non-boolean routing and mixing, multi-stage equalization with raised-cosine, IIR and FIR filters, delay up to 4 s in input processing and 200 ms for time alignment, gain and polarity adjustment, crossover, peak limiters, TruePower™ limiters and Active DampingControl™. The power supply handles Single Phase, Bi-Phase or Three Phase operation from 85 VAC up to 440 VAC, True Three Phase load balancing. WiFi remote management via smartphone and tablet custom interface.	£9,499.00
♦**X8 DSP+ETH**	The same as the X8 Dante but without Dante®.	£8,699.00
♦**X4 Dante**	4 x 5,200W (2 Ohms), 4 x 3,000W (4 Ohms), 1U Chassis, Dante® enabled, DSP based on ARM Cortex A-8 processor and TI C6000 DSP platform delivers 127dB of dynamic range and results in a new and innovative level of signal processing, providing non-boolean routing and mixing, multi-stage equalization with raised-cosine, IIR and FIR filters, delay up to 4 s in input processing and 200 ms for time alignment, gain and polarity adjustment, crossover, peak limiters, TruePower™ limiters and Active DampingControl™. The power supply handles Single Phase, Bi-Phase or Three Phase operation from 85 VAC up to 440 VAC, True Three Phase load balancing. WiFi remote management via smartphone and tablet custom interface.	£6,299.00
♦**X4 DSP+ETH**	The same as the X8 Dante but without Dante®.	£5,299.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

K Series

K Series

Product Code	Description	UK List (Ex VAT)
♦K20 DSP+KAESOP	2 x 9,000W (2 Ohms), 2 x 5,200W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader, Integral DSP platform and KAESOP network / AES card.	£5,399.00
♦K10 DSP+KAESOP	2 x 6,000W (2 Ohms), 2 x 4,000W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader, Integral DSP platform and KAESOP network / AES card.	£4,699.00
♦K6 DSP+KAESOP	2 x 3,600W (2 Ohms), 2 x 2,500W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader, Integral DSP platform, and KAESOP network / AES card.	£4,199.00
♦K3 DSP+KAESOP	2 x 2,800W (2 Ohms), 2 x 2,600W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader, Integral DSP platform, and KAESOP network / AES card.	£3,499.00
♦K2 DSP+KAESOP	2 x 2,500W (2 Ohms), 2 x 1,950W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader, Integral DSP platform, and KAESOP network / AES card.	£3,199.00
♦K20	2 x 9,000W (2 Ohms), 2 x 5,200W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader.	£4,699.00
♦K10	2 x 6,000W (2 Ohms), 2 x 4,000W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader.	£3,999.00
♦K6	2 x 3,600W (2 Ohms), 2 x 2,500W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader.	£3,499.00
♦K3	2 x 2,800W (2 Ohms), 2 x 2,600W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader.	£2,699.00
♦K2	2 x 2,500W (2 Ohms), 2 x 1,950W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader.	£2,399.00

K Series - Accessories

Product Code	Description	UK List (Ex VAT)
♦OP000005	OPTIONAL DSP platform, customer installed.	£649.00
♦PC000105	Power upgrade for the K Series.	£599.00
♦PC000106	K Series Preset storage Smart Card	£55.00
♦OP000006	KAESOP card for Powersoft K Series, Front & Rear Connection.	£429.00

T: 0141 440 5333
F: 0141 440 1119
E: sales@cuk-audio.com

Duecanali

Duecanali

Product Cost	Description	UK List (Ex VAT)
Duecanali 5204 DSP+AESOP	Installation Amplifier, 2 x 2,800W (2 Ohms), 2 x 2,600W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader, Integral DSP platform, AESOP network / AES digital audio card.	£3,699.00
Duecanali 3904 DSP+AESOP	Installation Amplifier, 2 x 2,400W (2 Ohms), 2 x 1,950W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader, Integral DSP platform, AESOP network / AES digital audio card.	£3,299.00
Duecanali 5204	Installation Amplifier, 2 x 2,800W (2 Ohms), 2 x 2,600W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader.	£2,999.00
Duecanali 3904	Installation Amplifier, 2 x 2,400W (2 Ohms), 2 x 1,950W (4 Ohms), Power Factor correction, Interactive LCD display, Smart card reader.	£2,499.00

Ottocanali

Ottocanali

Batformer

Ottocanali 4K4

Product Cost	Description	UK List (Ex VAT)
Ottocanali 1204 DSP+ETH	Installation Amplifier, 8 x 160W (4 Ohms), 8 x 130W (100V) with optional Batformers, Power Factor correction, Integral DSP platform, Ethernet Connectivity.	£2,399.00
Ottocanali 1204	Installation Amplifier, 8 x 160W (4 Ohms), 8 x 130W (100V) with optional Batformers, Power Factor correction	£1,999.00
Batformer	Optional plug-in output transformer for the Ottocanali 1204. BatFormers can convert any of the eight invividual channels into a 70V/100V output, providing 130 watts per channel.	£45.00
Ottocanali 4K4	Installation Amplifier, 8 x 500W (4 Ohms), 8 x 500W (100V) without the need for step-up transformers., Power Factor Correction, 2U, extremely low current draw.	£3,299.00
Ottocanali 8K4	Installation Amplifier, 8 x 1,000W (4 Ohms), 8 x 1,000W (100V) without the need for step-up transformers., Power Factor Correction, 2U, extremely low current draw.	£4,299.00
Ottocanali 12K4	Installation Amplifier, 8 x 1,500W (4 Ohms), 8 x 1,500W (100V) without the need for step-up transformers., Power Factor Correction, 2U, extremely low current draw.	£5,499.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

M Series

M Series

Product Cost	Description	UK List (Ex VAT)
M14D	2 x 700W (4 Ohms), 2 x 360W (8 Ohms) - cannot be used into 2 Ohms.	£979.00
M20D	2 x 1,000W (4 Ohms), 2 x 600W (8 Ohms) - cannot be used into 2 Ohms.	£1,199.00
M30D	2 x 1,500W (4 Ohms), 2 x 900W (8 Ohms) - cannot be used into 2 Ohms.	£1,399.00
M28Q	4 x 700W (4 Ohms), 4 x 360W (8 Ohms) - cannot be used into 2 Ohms.	£1,499.00
M50Q	4 x 1,250W (4 Ohms), 4 x 750W (8 Ohms) - cannot be used into 2 Ohms.	£2,199.00

M Series HDSP+ETH

M Series DSP + ETH

Product Cost	Description	UK List (Ex VAT)
M14D HDSP+ETH	2 x 700W (4 Ohms), 2 x 360W (8 Ohms) - cannot be used into 2 Ohms, integral DSP and Ethernet interface.	£1,299.00
M20D HDSP+ETH	2 x 1,000W (4 Ohms), 2 x 600W (8 Ohms) - cannot be used into 2 Ohms, integral DSP and Ethernet interface.	£1,599.00
M30D HDSP+ETH	2 x 1,500W (4 Ohms), 2 x 900W (8 Ohms) - cannot be used into 2 Ohms, integral DSP and Ethernet interface.	£1,899.00
M28Q HDSP+ETH	4 x 700W (4 Ohms), 4 x 360W (8 Ohms) - cannot be used into 2 Ohms, integral DSP and Ethernet interface.	£1,999.00
M50Q HDSP+ETH	4 x 1,250W (4 Ohms), 4 x 750W (8 Ohms) - cannot be used into 2 Ohms, integral DSP and Ethernet interface.	£2,699.00

Plug Ins / Modules / and Macros

Crestron® macros provide integrated monitoring and control of Powersoft amplifiers through a Crestron control system. These macros allow you to expand the flexibility of Powersoft's products in audio video integrated Systems. Powersoft's Armonía Pro Audio Suite™ software will be required for initial setup and management of the amplifiers. The macro handles the communication between the Powersoft K, Duecanali, M Series and Ottocanali 1204 DSP+ETH amplifiers and the Crestron processor via UDP connection.

The AMX® module provides AV system integrators with an interface control solution to take full advantage of the performance and flexibility of Powersoft's products in fixed install applications. Integrated monitoring and control of Powersoft K, Duecanali, M Series and Ottocanali 1204 DSP+ETH amplifiers. Powersoft's Armonía Pro Audio Suite™ software will be required for initial setup and management of the amplifiers.
iPad interface available.

CUK audio
T: 0141 440 5333
F: 0141 440 1119
E: sales@cuk-audio.com
www.cuk-audio.com

Plug Ins / Modules / and Macros

The Q-Sys™ plug-ins provide integrated monitoring and control of Powersoft K Series and Duecanali Series amplifiers through a QSC Q-Sys system. Powersoft's Armonía Pro Audio Suite™ software will be required for initial setup and management of the amplifiers.

Powersoft plug-ins for Peavey MediaMatrix NWare provide integrated monitoring and control of Powersoft K Series, Duecanali Series, M Series and Ottocanali 1204 DSP+ETH amplifiers through a Peavey NION® system. Powersoft's Armonía Pro Audio Suite™ software will be required for initial setup and management of the amplifiers.

DEVA

Product Cost	Description	UK List (Ex VAT)
DEVA AVL	Designed for audio/video surveillance of large areas with integrated microphone and camera in a self contained unit requiring no woring. WiFi 802.11n capable for setup, upload and bi-directional real-time operation, Weather-resistant for permanent outdoor use, solar or PoE powered, includes a High-capacity battery, charges even in low-light conditions More than 14 days of stand-by capacity without recharging, ultra-efficient Class D amplifier and high performance transducer, 64 hours of continuous audio playback without recharging, Energy-efficient high-power white LED for support lighting or optical signaling, 9 hours of continuous LED lighting, Audio playback / 'live' paging:, Playback of locally stored audio (internal SD memory card), Real-time feeds via WiFi (music, announcements), Internal ports for backup and external devices: Ethernet (incl. PoE), USB Individually addressable, plus grouping of multiple devices (zoning), Remote PC software for highly customisable setup and operation. Additional functions available with optional modules (e.g. GSM, GPSR, GPS, UMTS, FM tuner, various sensors), integral "video" camera.	£3,299.00
DEVA Audio	As per the DEVA AVL but without "video" capability.	£2,999.00
DEVA Passive	Passiver version of the DEVA, can be powered from the second amplifier channel in an DEVA AVL or Audio.	£749.00
Solar Panel	Solar panel for the DEVA AVL and DEVA Audio.	£499.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

STEWART AUDIO

AV Series Amplifiers

Product Code	Description	UK List (Ex VAT)
AV25-2	2 channel stereo amplifier, 2 x 25W @ 8 Ohms, 2 x 35W @ 4 Ohms in a subcompact, 1/4 rack form factor. This amplifier is plenum rated for above-ceiling applications and uses Signal Sense Technology for Energy Star compliance.	£219.00
AV25-2-RS232	The same amplifier as an AV25-2 but with RS232 providing control over level and mute functions.	£289.00
AV25-2 NET	2 Channel Networked (Dante or CobraNet) Subcompact Amplifier - 25W x 2 @ 8Ω 2 channel networked amplifier in a subcompact, 1/3 rack form factor. Includes two channels of networked amplification. Available in Dante™ solutions.	£599.00
AV25-2 NET+	The same amplifier as the AV25-2 NET with local inputs in addition to the network audio input.	£629.00
AV30-MX2	2 channel stereo mixer amplifier (2 x 30W @ 8 Ohms) in a subcompact, 1/4 rack form factor. This amplifier is plenum rated for above-ceiling applications and uses Signal Sense Technology for Energy Star compliance.	£239.00
AV50-2	2 channel stereo amplifier, 2 x 25W @ 8 Ohms, 2 x 50W @ 4 Ohms in a compact, 1/2 rack form factor. The amplifier includes a number of different mounting options perfect for attaching above a projection system.	£249.00

AV25-2

AV25-2 RS232

AV25-2 NET

AV25-2 NET+

AV30-MX2

AV50-2

CVA Series 100V Amplifiers

Product Code	Description	UK List (Ex VAT)
CVA25-1	1 channel amplifier, 1 x 25W @ 70/100V in a subcompact, 1/4 rack form factor. This amplifier is plenum rated for above-ceiling applications and uses Signal Sense Technology for Energy Star compliance.	£249.00
CVA50-1	1 channel amplifier, 1 x 50W @ 70/100V in a subcompact, 1/4 rack form factor. This amplifier is plenum rated for above-ceiling applications and uses Signal Sense Technology for Energy Star compliance.	£299.00
CVA50-1 Priority PA	1 channel amplifier, 1 x 50W @ 70/100V in a compact, 1/3 rack form factor. Includes both local and PA inputs with ducking of local input. This amplifier is plenum rated for above-ceiling applications and uses Signal Sense Technology for Energy Star compliance.	£409.00
CVA50MX-1	4 Channel Mixer Amplifier - 1 x 50W, with 4 inputs, phantom power, and the ability to output into either a 4/8 Ohm setup or a 100V system. This amplifier is plenum rated for above-ceiling applications and uses Signal Sense Technology for Energy Star compliance.	£429.00

CVA25-1

CVA50-1

CVA50-1 Priority PA

CVA50MX-1

CUK audio

T: 0141 440 5333
F: 0141 440 1119
E: sales@cuk-audio.com

www.cuk-audio.com

STEWART AUDIO

CVA Series - 100V Amplifiers

CVA50-1 NET

CVA50-1 NET+

Product Code	Description	UK List (Ex VAT)
CVA50-1 NET	1 Channel Networked (Dante or CobraNet) Subcompact Amplifier - 1 x 50W x 2 @ 100V 1 channel networked amplifier in a subcompact, 1/3 rack form factor. Available in Dante™ or CobraNet solutions.	£599.00
CVA50-1 NET+	The same amplifier as the CVA50-2 NET with a local input in addition to the network audio input.	£629.00

DSP Series - 100V Amplifiers

DSP100-1-CV

DSP100-2-CV

DSP100-1-CV-D

DSP100-2-CV-D

Product Code	Description	UK List (Ex VAT)
DSP100-1-CV	DSP Enabled 1x100W @ 70V/100V amplifier with onboard DSP, in a 1/2 rack form factor.	£629.00
DSP100-2-CV	DSP Enabled 2x100W @ 70V/100V amplifier with onboard DSP, in a 1/2 rack form factor.	£799.00
DSP100-1-CV-D	DSP Enabled 1x100W @ 70V/100V amplifier with onboard DSP, in a 1/2 rack form factor. Dante enabled.	£869.00
DSP100-2-CV-D	DSP Enabled 2x100W @ 70V/100V amplifier with onboard DSP, in a 1/2 rack form factor. Dante enabled.	£1,049.00

FLX Series Amplifiers

FLX80-4

FLX80-4-D

FLX80-4-CV

FLX160-2-CV

FLX320-1-CV

FLX80-4-CV-D

FLX160-2-CV-D

FLX320-1-CV-D

Product Code	Description	UK List (Ex VAT)
FLX80-4	4 channel, 4/8Ohm 1/2 rack amplifier delivering 80W per channel with built in DSP, RS232 control and remote volume control.	£1,299.00
FLX80-4-D	The same amplifier as an FLX80-4 but Dante enabled.	£1,599.00
FLX80-4-CV	The same amplifier as an FLX80-4 for 70/100V systems.	£1,349.00
FLX160-2-CV	2 channel, 70V/100V 1/2 rack amplifier delivering 160W per channel with built in DSP, RS232 control and remote volume control.	£1,349.00
FLX320-1-CV	1 channel, 70V/100V 1/2 rack amplifier delivering 320W per channel with built in DSP, RS232 control and remote volume control.	£1,349.00
FLX80-4-CV-D	The same amplifier as an FLX80-4-CV, but Dante enabled.	£1,599.00
FLX160-2-CV-D	The same amplifier as an FLX160-2-CV, but Dante enabled.	£1,599.00
FLX320-1-CV-D	The same amplifier as an FLX320-1-CV, but Dante enabled.	£1,599.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

STEWART AUDIO

Dante Interfaces

Product Code	Description	UK List (Ex VAT)
NetAV I/O 2x2	NetAV I/O 2x2 is a network enabled bridge product with 2 channels of analog to digital on to the network and 2 channels of digital to analog off of the network. Sub Compact 1/4 rack package, Two mic/line inputs with selectable pre-gain and phantom power, Two analog outputs from Dante™, Configurable via Control Center Software, External in line power supply.	£599.00



NetAV I/O 2x2

DSP Series - Digital Signal Processors

Product Code	Description	UK List (Ex VAT)
DSP 4x4	The DSP 4x4 is a versatile full featured DSP ideal for small to medium installations where 4 channels are the right amount. With a full array of DSP blocks designed to accept line or mic level (selectable phantom power), Configurable via DSP Control Centre software, 4 inputs line/mic inputs with 24V phantom power, 4 analog outputs, Filter blocks, Matrix mixer with crossover points, Compressor, limiter and delay blocks, RS232 to recall 3 program presets, 1/3 rack space.	£699.00

DSP 4x4

IntraSound

The IntraSound System by Stewart Audio is an innovative distributed audio system which leverages standard Cat5 cable to carry both stereo audio and power. This plug-and-play simplicity partnered with the myriad of possible configurations makes the IntraSound System flexible enough for any application.

Product Code	Description	UK List (Ex VAT)
IS-HUB4	The IS-HUB4 is the primary component of the IntraSound System™. It supplies power and analog signal to all the nodes attached to it. The IS-HUB4 is Energy Star compliant. Requires PS-60W or PS90W sold separately. • 4 RJ45 ports for audio and power • Each port can supply up to 20W • RCA or 3.5mm stereo inputs	£209.00
IS-AmpNode-10	The IS-AmpNode-10 is a component of the IntraSound System™. It converts any speaker into a powered speaker and can daisy-chain to other nodes in order to expand the system. • Extremely small form factor • Highly-efficient Class D design • Adjustable power output (0.3-10W) • Daisy chain multiple nodes, up to 20+ • Left, Right, or Mono Output • Turns any speaker into a powered speaker	£79.00

IS-HUB4



IS-AmpNode-10

CUK audio
T: 0141 440 5333
F: 0141 440 1119
E: sales@cuk-audio.com
www.cuk-audio.com

Accessories

Product Code	Description	UK List (Ex VAT)
PS-60W	60W 24V PSU for IS Hub	£59.00
PS-90W	90W 24V PSU for IS Hub	£99.00
RVC-RS232	RS232 Control adapter for 5-12VDC RVC Port	£119.00
RVC-RS232IR	RS232 Control adapter for 5-12VDC RVC Port with IR	£169.00
WP-RVC-B	10k pot aluminium face plate, black finish	£49.00
WP-RVC-A	10k pot aluminium face plate, aluminium finish	£49.00
AV-POLE	Pole mount for AV Series amplifiers and mixers	£18.00
AV-BRACKET	Universal mounting bracket AV Series amplifiers and mixers	£9.00
RMK-50	AV50 single rack mount kit	£27.00
RMK-70-D	Dual rack mount kit for CVA100 amplifiers	£36.00
RMK-70-S	Single rack mount kit for CVA100 amplifiers	£27.00
RMK-A15-S	Single rack mount kit for FLX and DSP amplifiers	£36.00
RMK-A15-D	Dual rack mount kit for FLX and DSP amplifiers	£45.00
PS-3	Replacement PSU for AV and CVA series amplifiers	£59.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Symetrix

Integrator

Product Code	Description	UK List (Ex VAT)
Zone Mix 761	Paging and music management zone mixer for Restaurants, Sports Bars, Fitness Clubs, Night Clubs, Hotels, Retail Locations. 4 Mic/Line Inputs: Paging from up to three 3 locations plus emergency page. 8 Audio Media Inputs for devices such as: CD Player, iPod, DJ Mixer, etc. Route audio media inputs, plus paging & emergency paging to as many as 6 unique locations.	£1,399.00

Zone Mix 761

Jupiter

Product Code	Description	UK List (Ex VAT)
JUPITER 4	4 x 4 Digital signal processor, 4 mic/line inputs with phantom power, 4 line outputs, Ethernet, ARC port, 2 external control inputs, and 4 logic outputs, pre-designed apps greatly reduce installation time.	£1,099.00
JUPITER 8	8 x 8 Digital signal processor, 8 mic/line inputs with phantom power, 8 line outputs, Ethernet, ARC port, 2 external control inputs, and 4 logic outputs, Pre-designed apps greatly reduce installation time.	£1,499.00
JUPITER 12	12 x 4 Digital signal processor, 12 mic/line inputs with phantom power, 4 line outputs, Ethernet, ARC port, 2 external control inputs, and 4 logic outputs, Pre-designed apps greatly reduce installation time.	£1,699.00

Jupiter 4

Jupiter 8

Jupiter 12

Solus

Product Code	Description	UK List (Ex VAT)
SOLUS 4	4 x 4 open architecture digital signal processor, 4 mic/line inputs with phantom power, 4 line outputs, Ethernet, RS-232, ARC port, 2 external control inputs, and 4 logic outputs. Front panel display.	£1,499.00
SOLUS 8	8 x 8 open architecture digital signal processor, 8 mic/line inputs with phantom power, 8 line outputs, Ethernet, RS-232, ARC port, 2 external control inputs, and 4 logic outputs. Front panel display.	£1,699.00
SOLUS 16	16 x 8 open architecture digital signal processor, 16 mic/line inputs with phantom power, 8 line outputs, Ethernet, RS-232, ARC port, 2 external control inputs, and 4 logic outputs. Front panel display.	£2,299.00

Solus 4

Solus 8

Solus 16

Symetrix

Radius

	Product Code	Description	UK List (Ex VAT)
Radius 12x8	♦Radius 12x8	12 x 8 open architecture DSP with Dante gigabit network audio. 12 mic/line inputs with phantom power, 8 line outputs, Ethernet, RS-232, ARC port, 4 external control inputs, and 8 logic outputs. Front panel display.	£2,799.00
Radius AEC	♦Radius AEC	12 x 8 open architecture DSP with Dante gigabit network audio. 8 wideband AEC mic / line inputs with phantom power 4 line inputs, 8 line outputs, Ethernet, RS-232, ARC port, 4 external control inputs, and 8 logic outputs. Front panel display. Expansion slot allows an extra I/O card from the Symnet EDGE range to be used.	£2,899.00

12ch I/O Expansion

	Product Code	Description	UK List (Ex VAT)
	xIn	12ch input expansion, used with SymNet Edge and Radius DSP's. Dante audio transmission. Built-in network switch. Direct connections, Daisy chaining of up to 10 units.	£1,799.00
	xOut	As above but 12ch output expansion.	£1,499.00

ARC-WEB Control Interface

What do iPhones, iPads, and Android phones and tablets have in common? They support web browsers that are used to control embedded web servers running on EDGE, Radius, Jupiter, and Zone Mix 761 DSP hardware.

So what exactly does that really mean? Instead of, or along with, any ARC wall panels, end users can control volume, mute, source selection and other important parameters of their sound systems from their smartphones and tablets.

But wait, there's more. There are actually four instances of the ARC-WEB – not just one. Each of four users can be assigned a different ARC-WEB with unique privileges and security.

Just add a wireless access point to your ARC-WEB enabbled DSP, program up your ARC-WEB and you are good to go.

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

Symetrix

Symnet EDGE

	Product Code	Description	UK List (Ex VAT)
EDGE Frame	♦EDGE Frame	Open architecture DSP with Dante gigabit network audio. Four I/O card slots, redundant Dante ports, Ethernet, RS232, ARC port, eight logic inputs, 24v input for PSU redundancy.	£2,699.00
	♦EDGE 4 Channel Analog Input Card	Mic/line input, +48 V phantom power, 54.4 dB of mic pre-amp gain, 115 dB dynamic rance.	£319.00
	♦EDGE 4 Channel AEC Input Card	4-channel Acoustic Echo Cancellation card with wideband dedicated processing; does not consume DSP resources of EDGE Frame, 11ms AEC latency, zero latency direct outputs.	£699.00
	♦EDGE 4 Channel Digital Input Card	4-channel digital input card, supports AES/EBU or S/PDIF, sample rate conversion on all inputs, sync range of 32 to 192 kHz.	£319.00
	♦EDGE 4 Channel Analog Output Card	4-channel analogue output card, +24 dBu maximum output level, ± 24 dB of trim, extended dynamic range of 117 dB.	£249.00
	♦EDGE 4 Channel Digital Output Card	4-channel digital output card, supports AES/EBU or S/PDIF, nominal sample rate of 48 kHz, supports external clock input of 32 to 192 kHz.	£349.00
	♦2 Line Analogue Telephone Card	2 line analogue telephone card for SymNet EDGE and Radius products.	£349.00

SymVue - Custom User Control Screens

SymVue is a real-time user control panel application that displays control screens exported from SymNet Composer functioning as a multi-user, multi-point control environment for SymNet systems. SymVue runs on any Windows-compatible device, including touch screen enabled PCs and tablets. The computer communicates directly with SymNet hardware over Ethernet, independent of SymNet Composer. The desired user control interface is created in SymNet Composer as a control screen, and then exported to one or many Windows devices for tailored operation of the SymNet system.

Multiple computers can control one system. One computer can control SymNet units. Any single control can be common to multiple computers. All SymVue computer(s), any Symetrix ARC wall panels, and even third-party control systems are synchronized with each other at all times.

This process of creating a graphical user interface and exporting it to off-the-shelf control hardware represents a significant savings in time and money when compared to third party control systems. The included collection of customisable graphic objects coupled with the ability to import .JPG, .BMP, and .PNG files means user displays can be of the highest quality.

Accessories

	Product Code	Description	UK List (Ex VAT)
xControl	♦xControl	External control expander. 16 control inputs (analog or binary) and 16 logic outputs. Perfect for conference room applications. Especially useful to support additional push-to-talk switches and LED indicators. Power over Ethernet (PoE). A single CAT5/6 cable for power and data (PoE injector included.) Rack or surface mount accessory hardware is included.	£679.00
ARC-PSe	♦ARC-PSe	Half rack space power and data expansion unit for applications where large numer of ARC controlers are deployed. Feed multiple ARC wall panels from eight RJ-45 connectors. Daisy chain, star, or both - configuration flexibility save on cable and labor. Rack or surface mount all the hardware is included. The infamous ARC power calculator. Calculate maximum number of ARCs and distances in between. Just look in the software Help File.	£369.00
TH-101	TH-101	Telephone headset interface provides a fast, low cost solution for connecting telephone audio to SymNet DSP. Use the same telephone for dialing and answering calls. Only 3 connections to make. Connect THI-101 to 1) headset port of VoIP/digital deskset, 2) DSP line input, and 3) DSP line output.	£229.00
ARC-2e	ARC-2e	Remote wall panel. Fully programmable for: Source selection, volume control and preset triggering, and much more. Backlit display (supports 31 character scrolling names), 3 buttons, white plastic faceplate. Controls up to 24 parameters in a system.	£199.00
ARC-K1e	ARC-K1e	Remote wall panel with a push-button encoder with 8-segment LED bar graph with splash resistant faceplate. The encoder can be assigned to two functions, A and B that are toggled by pressing the encoder button. 1 audio input on the rear of the panel.	£199.00
ARC-SW4e	ARC-SW4e	Remote wall panel including 4 button switches with bi-color LED's and splash resistant faceplate. Can be programmed with momentary, latched and radio button modes. 1 audio input on the rear of the panel.	£199.00
 ARC-EX4e	ARC-EX4e	Remote wall panel expansion device for use with ARC-K1e and ARC-SW4e. For expansion, add up to four ARC-EX4e to each ARC-K1e and up to three ARC-EX4e to each ARC-SW4e. NB Decora® trim panel not included	£139.00
RC-3	RC-3	Single remote volume control mounted in a Decora® wall plate.	£75.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

t&mSystems

Mixer Amplifiers

Project 60

Project 120

Project 240

Product Code	Description	UK List (Ex VAT)
Project 60	60W Mixer Amplifier, 4 Mic Inputs, 4 Aux Inputs, 100 / 70 / 50 Volt and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty	£259.00
Project 120	120W Mixer Amplifier, 4 Mic Inputs, 4 Aux Inputs, 100 / 70 / 50 Volt and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty	£279.00
Project 240	240W Mixer Amplifier, 4 Mic Inputs, 4 Aux Inputs, 100 / 70 / 50 Volt and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty	£479.00
Project 120Z	120W Multi Zone Mixer Amplifier, 4 Mic Inputs (with Phantom Power), 2 Line Inputs, telephone input with level control, line output, 100 / 70 / 50 and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty.	£499.00
Project 240MP	240W Mixer Amplifier with integral MP3 player, USB Input, 3 Mic Inputs, 2 Aux Inputs, 100 / 70 / 50 and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty.	£479.00

Slave Amplifiers

Project 60P

Project 60.2P

Project 60.4P

Product Code	Description	UK List (Ex VAT)
Project 60P	1 Channel, 60W Amplifier, 100 / 70 / 50 Volt and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty	£249.00
Project 120P	1 Channel, 120W Amplifier, 100 / 70 / 50 Volt and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty	£269.00
Project 240P	1 Channel, 240W Amplifier, 100 / 70 / 50 Volt and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty	£469.00
Project 60.2P	2 Channel, 60W Amplifier, 100 / 70 / 50 Volt and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty	£449.00
Project 60.4P	4 Channel, 60W Amplifier, 100 / 70 / 50 Volt and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty	£469.00
Project 120.4P	4 Channel, 120W Amplifier, 100 / 70 / 50 Volt and 4 Ohm outputs. Mains or 24V DC operation, 19" 2U Chassis, 3 year warranty	£719.00

t&mSystems

Rack Mount & Zone Mixers

	Product Code	Description	UK List (Ex VAT)
Project Mix 8	**Project Mix 8**	Mono rack mount mixer, 4 mic inputs, 3 Aux Inputs, Built in chime, Mains or 24V DC operation, 19" 2U Chassis. 3 year warranty	£249.00
Project Mix 10	**Project Mix 10**	Stereo (or 2 zone) rack mount mixer, 5 mic/line inputs, 4 mic/line stereo inputs, paging input, 48V phantom power, Mains or 24V DC operation, 19" 2U Chassis. 3 year warranty	£349.00
Project Mix 241	**Project Mix 241**	Stereo (or 2 zone) rack mount mixer, 2 mic inputs (with EQ), 4 line inputs, fire alarm interface, front mounted source selection and music EQ controls, 3 year warranty	£239.00

Power Amplifiers

	Product Code	Description	UK List (Ex VAT)
SA 20	**SA 20**	2 x 150W @ 8 Ohms, 2 x 200W @ 4 Ohms, 1 x 400W @ 8 Ohms bridged, switchable input sensitivity, short circuit, overload, DC and high temperature protection, soft start, 19" 1U Chassis, 3 year warranty.	£279.00
SA 40	**SA 40**	2 x 275W @ 8 Ohms, 2 x 400W @ 4 Ohms, 1 x 800W @ 8 Ohms bridged, switchable input sensitivity, short circuit, overload, DC and high temperature protection, soft start, 19" 2U Chassis, 3 year warranty.	£369.00
SP 1000	**SP 1000**	2 x 550W @ 8 Ohms, 2 x 900W @ 4 Ohms, 2 x 1,000W @ 2 Ohms, 1 x 1,650W @ 8 Ohms in bridge mode, built in 120 Hz 12dB / Oct crossover, switchable input sensitivity, short circuit protection, over load protection, DC protection, soft start, high temperature protection, two cooling fans, 19" 2U Chassis, 3 year warranty.	£679.00
SP 1600	**SP 1600**	2 x 700W @ 8 Ohms, 2 x 1,150W @ 4 Ohms, 2 x 1,500W @ 2 Ohms, 1 x 2,100W @ 8 Ohms in bridge mode, built in 120 Hz 12dB / oct Crossover, switchable input sensitivity, short circuit protection, over load protection, DC protection, soft start, high temperature protection, two cooling fans, 19" 2U Chassis, 3 year warranty.	£779.00
SA 4200	**SA 4200**	4 Channel Amplifier, 4 x 140 watts @ 8 Ohms, 4 x 200 watts @ 4 Ohms, input link switch, short circuit, overload, DC and high temperature protection, soft start, 19" 3U Chassis, 3 year warranty	£579.00
SA 8200	**SA 8200**	8 Channel Amplifier, 8 x 130 watts @ 8 Ohms, 8 x 200 watts @ 4 Ohms, input link switch, short circuit, overload, DC and high temperature protection, soft start, 19" 3U Chassis, 3 year warranty	£749.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

t&mSystems

Loudspeakers

CS 4

CS 6

CM 5

CM 8

AV4

AV6

AVP6

Product Code	Description	UK List (Ex VAT)
CS 4	One way, 4" Broadband driver, all steel construction, 92dB SPL, 5W RMS, 70V / 100V operation, 100V taps at 1.5, 3, and 5W. Cut Out - 165mm.	£12.00
CS 6	One way, 6" Broadband driver, all steel construction, 94dB SPL, 9W RMS, 70V / 100V operation, 100V taps at 3, 6, and 9W. Cut Out - 225mm.	£19.00
CM 5	Two way, full range, ceiling loudspeaker, LF 1 x 5.5", HF 1 x 1", 88dB SPL, 20W RMS, 8 Ohm or 70V / 100V operation, 100V taps at 2.5, 5, 10, and 20W. Cut Out - 170mm.	£45.00
CM 8	Two way, full range, ceiling loudspeaker, LF 1 x 8", HF 1 x 1", 89dB SPL, 40W RMS, 8 Ohm or 70V / 100V operation, 100V taps at 5, 10, 20, and 40W. Cut Out - 245mm.	£59.00
AV4	The AV4 is designed for background music systems or A/V applications. This model offers a great combination of modern, elegant design, and good audio performance. The AV4 is loaded with a 4" LF driver and a 1" dome tweeter, 87dB SPL, 20W RMS, 8 Ohm and 70V / 100V operation. Supplied with its yoke bracket, available in black or white. Packed and sold in pairs.	£109.00 Per Pair
AV6	The AV6 is designed for background music systems or A/V applications. This model offers a great combination of modern, elegant design, and good audio performance. The AV6 is loaded with a 6.5" LF driver and a 1" dome tweeter, 89dB SPL, 40W RMS, 8 Ohm and 70V / 100V operation. Supplied with its yoke bracket, available in black or white. Packed and sold in pairs.	£159.00 Per Pair
AVP6	The AVP6 is a selfpowered 2-way loudspeaker set, especially designed for smaller A/V- and background music applications. Each pair comprises one speaker loaded with a 2 x 30 watts stereo amplifier and a second one which is passive. The speakers feature a 6.5" LF driver and a 1" dome tweeter. A 2-band EQ on the amplifier module offers basic sound adjustments. Inputs are via phoenix connectors, stereo 3.5mm jack or stereo RCA. Supplied with its yoke bracket, available in black or white. Packed and sold in pairs.	£165.00 Per Pair

televic
conference

D-Cerno Wired Discussion System

D-Cerno D

D-Cerno C

D-Cerno CU

D-Cerno TC

Product Code	Description	UK List (Ex VAT)
D-Cerno D	Wired delegate unit with built-in loudspeaker, GSM immune fixed 38cm microphone, headphone connection with volume control, push to talk touch sensor. 2m cable included.	£329.00
D-Cerno DL	Wired delegate unit with built-in loudspeaker, GSM immune fixed 50cm microphone, headphone connection with volume control, push to talk touch sensor. 2m cable included.	£349.00
D-Cerno C	Wired chairman unit with built-in loudspeaker, GSM immune fixed 38cm microphone, headphone connection with volume control, push to talk, prior, and next in line touch sensors. 2m cable included.	£399.00
D-Cerno CL	Wired chairman unit with built-in loudspeaker, GSM immune fixed 50cm microphone, headphone connection with volume control, push to talk, prior, and next in line touch sensors. 2m cable included.	£429.00
D-Cerno CU	Desk / Table Top Cental Unit, can power 50 delegate units in 4 branches, or 2 loops (for complete redundency), the unit has no fans and so is silent, control of the CU is simple via the touch sensors and LCD menu system, and is equiped with inputs and outputs to allow the CU to connect to a video conference system, or in-room sound reinforcement system.	£1,099.00
D-Cerno CU-R	Desk / Table Top Cental Unit as per the D-Cerno CU but with - two USB slots on the front to allow recording directly onto USB solid state memory. A web server makes the system accessible via a LAN connection and a standard web browser.	£1,399.00
D-Cerno TC	Transport case to accomodate 12 delegate units, central unit, power supply and associated cables.	£799.00

D-Cerno Interconnect Cables

Product Code	Description	UK List (Ex VAT)
ICC5/2	2 metre connection cable - black	£12.00
ICC5/5	5 metre connection cable - black	£16.00
ICC5/10	10 metre connection cable - black	£23.00
ICC5/20	20 metre connection cable - black	£35.00

Other cable lengths and colours are available on request

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

televic conference

Confidea Wired

Confidea L-DD

Confidea L-DV / L-CV

Confidea L-DI

Confidea L-DIV

Confidea L-CIV

Confidea D-MIC SL

Product Code	Description	UK List (Ex VAT)
Confidea L-DD	Wired delegate unit with built-in loudspeaker, microphone connector. Microphone to be ordered seperately.	£369.00
Confidea L-CD	Wired chairman unit with built-in loudspeaker, microphone connector. Microphone to be ordered seperately.	£399.00
Confidea L-DV	Wired delegate unit with built-in loudspeaker, microphone connector. 3 voting buttons and OLED information display. Microphone to be ordered seperately.	£399.00
Confidea L-CV	Wired chairman unit with built-in loudspeaker, microphone connector. 3 voting buttons, 2 OLED information displays prior & next-in-line button. Microphone to be ordered seperately.	£429.00
Confidea L-DI	Wired delegate unit with built-in loudspeaker, microphone connector. channel selector with OLED information display. Microphone to be ordered seperately.	£399.00
Confidea L-CI	Wired chairman unit with built-in loudspeaker, microphone connector. Channel selector with OLED display, prior & next button. Microphone to be ordered seperately.	£429.00
Confidea L-DIV	Wired delegate unit with, built-in loudspeaker, microphone connector. 5 voting buttons, channel selector with OLED display. Microphone to be ordered seperately.	£439.00
Confidea L-CIV	Wired chairman unit with built-in loudspeaker, microphone connector. 5 voting buttons, channel selector with OLED display, prior and next button. Microphone to be ordered seperately.	£469.00
Confidea D-MIC 30SL	GSM Immune gooseneck microphone of 30cm. To be ordered separately for all Confidea (and Confidea-L) units.	£129.00
Confidea D-MIC 40SL	GSM Immune gooseneck microphone of 40cm. To be ordered separately for all Confidea (and Confidea-L) units.	£129.00
Confidea D-MIC 50SL	GSM Immune gooseneck microphone of 50cm. To be ordered separately for all Confidea (and Confidea-L) units.	£129.00

CUK audio
T: 0141 440 5333
F: 0141 440 1119
E: sales@cuk-audio.com

televic conference

ID2500

Confidea / Integrated Panel Interpreter Equipment

Product Code	Description	UK List (Ex VAT)
ID2500	Digital Interpreter desk with built-in loudspeaker and fixed gooseneck microphone with light ring.	£1,099.00

Flush Mount - Integrated Panels

FD/M

FD/MV5B

FD/MV6BCS

Product Code	Description	UK List (Ex VAT)
FD/M	Integrated flush mount delegate panel with interference resistant microphone and loudspeaker.	£469.00
FC/M	Integrated flush mount chairman panel with interference resistant microphone and loudspeaker.	£549.00
FD/MV5B	Integrated flush mount delegate panel with interference resistant microphone, loudspeaker and 5 button voting facilities and chipcard reader.	£649.00
FC/MV5B	Integrated flush mount chairman panel with interference resistant microphone, loudspeaker and 5 button voting facilities and chipcard reader.	£729.00
FD/MV5BCS	Integrated flush mount delegate panel with interference resistant microphone, loudspeaker and 5 button voting facilities, channel selector and chipcard reader.	£779.00
FD/MV5BCS	Integrated flush mount chairman panel with interference resistant microphone, loudspeaker and 5 button voting facilities, channel selector and chipcard reader.	£849.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

televic conference

Confidea / Integrated Panel Central Equipment

Confidea CU

AOP2500

Product Code	Description	UK List (Ex VAT)
Confidea CU	Digital Central Unit, internal power supply for 120 units, interpretation up to 4 languages, voting.	£2,399.00
License Floor +8	License for interpretation into 8 languages.	£929.00
License Floor +28	License for interpretation into 28 languages.	£2,199.00
AOP2500	Analogue output unit (Floor +8)	£1,399.00

Confidea / Integrated Panel Cables

Product Code	Description	UK List (Ex VAT)
ICC5/2	2 metre connection cable - black	£12.00
ICC5/5	5 metre connection cable - black	£16.00
ICC5/10	10 metre connection cable - black	£23.00
ICC5/20	20 metre connection cable - black	£35.00

Other cable lengths and colours are available on request

televic conference

Confidea Wireless G3

Confidea DD

Confidea CD

Confidea DV

Confidea CV

Product Code	Description	UK List (Ex VAT)
Confidea DD	Wireless delegate unit with built-in loudspeaker, microphone connector. Microphone and battery to be ordered seperately.	£599.00
Confidea CD	Wireless chairman unit with built-in loudspeaker, microphone connector. Microphone and battery to be ordered seperately.	£699.00
Confidea DV	Wireless delegate unit with built-in loudspeaker, microphone connector. 3 voting buttons and OLED information display. Microphone and battery to be ordered seperately.	£929.00
Confidea CV	Wireless chairman unit with built-in loudspeaker, microphone connector. 3 voting buttons, 2 OLED information displays prior & next-in-line button. Microphone and battery to be ordered seperately.	£999.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

televic conference

Confidea Wireless

Confidea BP

Confidea D-MIC SL

Confidea WCAP+

Confidea CHT

Confidea CHC

Product Code	Description	UK List (Ex VAT)
Confidea BP	Battery pack for wireless Confidea unit. To be ordered separately for all Confidea units.	£195.00
Confidea D-MIC 30SL	GSM Immune gooseneck microphone of 30cm. To be ordered separately for all Confidea (and Confidea-L) units.	£129.00
Confidea D-MIC 40SL	GSM Immune gooseneck microphone of 40cm. To be ordered separately for all Confidea (and Confidea-L) units.	£129.00
Confidea D-MIC 50SL	GSM Immune gooseneck microphone of 50cm. To be ordered separately for all Confidea (and Confidea-L) units.	£129.00
Confidea WCAP G3	Wireless Conference Access Point with analogue input and output, and built in webserver for easy installation, configuration, microphone control, camera control, and monitoring.	£2,349.00
Confidea APPS	Power adapter used with Confidea WCAP G3 in standalone mode.	£55.00
Confidea BPC	Adaptor to charge conference unit battery.	£45.00
Confidea CHT	Charging tray for 6 battery packs, 19" rack mountable.	£599.00
Confidea CHC	Transport case to accomodate 12 wireless delegate units, 12 battery packs, 12 microphones, 2 charging trays, and 1 Confidea WCAP G3 (none of the above is included with the case).	£799.00

televic conference

uniCOS - Multimedia Conference System

UNICOS F/MM

Product Code	Description	UK List (Ex VAT)
uniCOS F/MM	A flushmount conference unit that can be configured as either a delegate or a chairman the panel includes: - Microphone activation button. - 7" capacitive touch screen. - Anti-glare coating. - Anti-finger pront coating. - Mifare card reader for delegate authentication. - High quality loudspeaker. - Headphone socket. - Boarderless surface for easy cleaning.	£2,199.00
D-MIC 30SL	30cm GSM immune gooseneck microphone.	£129.00
D-MIC 40SL	40cm GSM immune gooseneck microphone.	£129.00
D-MIC 50SL	50cm GSM immune gooseneck microphone.	£129.00
Njgvsq KKC	The uniCOS sentral unit is 19" rack mountable unit that provides all of the processing and signal management for the multimetia system.	£5299.00
TCS5500 PSU	External powersupply for powering additional uniCOS F/MM units.	£1949.00
uniCOS EU	uniCOS extension unit.	£899.00
uniCOS DNC	Optional Dante audio networking card for the uniCOS CU to allow audio to be sent to and from the uniCOS CU via a Dante audio network.	£899.00
MID	Mifare contactless identification card.	£6.00
MID Prog	Mifare identification card / writer with standalone programming software.	£479.00

uniCOS - Multimedia Conference System

Televic's new flagship multimedia conference system uniCOS, allows you to bring the full collaborative experience at your delegates' fingertips.

One single CAT5e cable delivers all that is needed for an enriching, efficient and productive meeting: audio, document sharing and live video in HD quality and with ultra low latency.

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

televic conference

CoCon Management Software

Product Code	Description	UK List (Ex VAT)
CoCon Discussion	CoCon Discussion is the foundation software for the CoCon suite. It includes four applications: - CoCon Room Server - CoCon Room Configurator - CoCon Meeting Manager - CoCon Operator This software allows preparation of data before meetings and control during meetings. Functionality includes delegate database, agenda management, speech timer, microphone control, synoptic control.	£3,299.00
CoCon Signage	CoCon Signage can be used to display information on screens within the meeting room. The following information can be displayed: - Synoptic view of room with mic state - Current speaker - Individual speech time - Group speech time - Current agenda item CoCon Discussion is required to run this application.	£1,099.00
CoCon T-Cast Connector	The T-Cast Connector plug-in integrates the T-Cast on-line management and control environment into the CoCon Conference Control software. CoCon Discussion is required to run this application.	£799.00
CoCon Voting	CoCon Voting allows the management of parliamentary voting session. Votes can be associated with agenda items. Voting results are logged for future reference. CoCon Discussion is required to run this application.	£1,799.00
CoCon Authentication	CoCon Authentication allows the use of cards to identify delegates when delegate equipment is equipped with card readers. CoCon Discussion is required to run this application.	£899.00
CoCon Documentation	CoCon Documentation offers additional functionality with regard to Documents and their management, if this license module is present. A meeting can be enhanced with an unlimited number of documents that can be added; general documents as well as specific meeting-specific documents are supported.	£1,199.00
CoCon Messaging/ Services	CoCon Messaging make it is possible to send messages between delegates mutually and between delegates and the operator(s). On top of that, the meeting can be augmented with a number of pre-defined services. The delegates are able to request these services, during the meeting, and the catering staff can see this request easily and respond to it.	£699.00

televic
conference

Aladdin RAD25

Aladdin R8

Aladdin Digital IR Language Distribution

Product Code	Description	UK List (Ex VAT)
Aladdin T8	8 channel digital infrared transmitter	£3,999.00
Aladdin RAD25	25W digital infrared radiator	£3,399.00
Aladdin R8	8 channel digital infrared receiver	£199.00
Aladdin BP	Rechargeable NiMh battery pack for Aladdin R8	£18.00
Aladdin CHC60	Charging case for 60 infrared receivers	£2,199.00

TReX Recording Software

TReX

Product Code	Description	UK List (Ex VAT)
TReX	Two channel audio recording software with automatic conference marker placement, includes PC audio interface	£999.00
TReX Multi Channel	Eight channel audio recording software with automatic conference marker placement. Audio interface NOT included	£2,999.00
TReX Transcription	TRex Transcription tool, including foot pedal.	£599.00

All prices are in £ Sterling (GBP) and exclude VAT
All orders below the value of £500 ex. VAT will be subject to a freight charge of £10 ex. VAT
This price list supercedes all previous price lists. All prices and specifications are subject to change without notice. E&OE

♦ Product only available to accredited accounts

CUK
audio